

Form 874-5—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

E-5

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 58N R. 26W 4th Mer.

Section Corner common to Sections
5, 6, 7, and 8


Corner consists of a 2" Cedar Post (not) in place
State condition

Dimensions above ground 40 inches


Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E




NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Pine Stump

Diameter

Bearing S 91° E

Distance 5.2/ka

Do you believe this to be a genuine Land Office Corner? NO

If not, why? Records show it was set by County Surveyor

Harold Hamalainen

(Signature)

Enrollee


(Title)

1/17/90

(Date)

Corner again.
POST SET by C.C.C. crew
from County B.T.

Metal Location Poster is on a
tree _____ inches diameter, on the
side of _____
from which this Corner bears _____
chains distant.
Give any further facts which will aid in finding this



(Make sketch of topography near Corner)

T. 58N R. 26W 97A Mer.

U. S. Department of Agriculture
FOREST SERVICE

75

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 58N R. 26W 9th Mer.

Section Corner common to Sections
5, 6, 7, and 8

Corner consists of a 4" Cedar Post (not) in place
State condition

Dimensions above ground 40 inches


Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species *Pine Stump*

Diameter

Bearing *59°E*

Distance *58 lks.*

Do you believe this to be a genuine Land Office Corner? *NO*

If not, why? *Records show it was set by County Surveyor*

H. Harvalain

(Signature)


11/7/90

(Date)

Enoslee

(Title)

(Make sketch of topography near Corner)



T. 58 N R. 26 W Mer. 9th

Metal Location Poster is on a tree _____ inches diameter, on the _____ side of _____ from which this Corner bears _____ chains distant.

Give any further facts which will aid in finding this Corner again.

Post set by C.C. crew from B.T.

U. S. Department of Agriculture

FOREST SERVICE

Chippewa NATIONAL FOREST E5
CORNERS OF THE PUBLIC SURVEY

T. 58N R. 26W. 4th Mer.

Section Corner common to Sections
5, 6, 7, and 8

Corner consists of a 4" Cedar Post (not) in place
State condition

Dimensions above ground 40 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species Pine Stump

Diameter

Bearing 59 1/2 E

Distance 58 1/2 ks

Do you believe this to be a genuine Land Office Corner? NO.

If not, why? Records show it set by
County Surveyor

H. Hamalainen

(Signature)


Enrollee

(Title)

11/17/90

(Date)

(Make sketch of topography near Corner)



T. 58N R. 26W 9th Mer.

Metal Location Poster is on a

tree inches diameter, on the

side of

from which this Corner bears

chains distant.

Give any further facts which will aid in finding this

Corner again.

Post set by CCC crew from B.T.

Form 874-0 Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

7
5

NATIONAL FOREST



CORNERS OF THE PUBLIC SURVEY

T. 58 R. 26 4th Mer.
Sec. Corner common to Sections
5, 6, 7, and 8

Corner consists of a cor. in road (not) in place
State condition

Dimensions above ground inches


Sketch grooves, letters, figures, or notches, on proper face or edge.
CARDINAL POSITION DIAGONAL POSITION



Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Pine Stub

Diameter

Bearing S41°E

Distance 58 lks.

Do you believe this to be a genuine Land Office Corner?

If not, why? it may be as the bearing tree is quite old


Harold Hamalainen
(Signature)

1/17/40
(Date)

CCC
(Title)

This corner is probably
in center of road. ON
IT 591 ON TURN.

Corner again.
Give any further facts which will aid in finding this
chains distant.
From which this Corner bears
side of
tree inches diameter, on the
Metal Location Poster is on a



(Make sketch of topography near Corner)