

Form 874-9-Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

Posted
 N-17

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 60N R. 26W 4th Mer.

Section Corner common to Sections
 14, 15, 22, and 23

Corner consists of a wood stake (not) in place
 State condition Decaying

Dimensions above ground Dia=2", Hgt=24" inches
 Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

S. 16	S. 22	S. 23	S. 14
NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T. 60N. R. 26W.	Quiliterated		

Species Spruce Cedar
 Diameter 6" 5"
 Bearing S 22° W. N 24° W.
 Distance 54 54

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

J. H. Moor
 (Signature)


June 20, 34
 (Date)

Tree Foreman
 (Title)

Lined writing area with horizontal dashed lines.

Corner again.

Give any further facts which will aid in finding this
chains distant.
from which this Corner bears
side of
tree..... inches diameter, on the
Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 60 N. R. 26 W. 4th Mer.

Form 874-9—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

2-17

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 60 R. 26 Mer.

Corner common to Sections

14, 15, 22, and 23

Corner consists of a scribed Tamarac (not) in place



State condition New

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



orig BT ↓

--	--	--	--

Species Tam Cedar Tam Cedar

Diameter 7" 8" 5" 9"

Bearing S 88° W S 83° W S 78° E N 30° W

Distance 17.82 FT 25.8' 24.58' 19.52'

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? Grave B.T. put in by
County Surveyor 12-12-55

R. H. Chittenden
 (Signature)

D. P. R.
 (Title)

(Date)

Corner again.
In James Sup. Notes from
county surveyor. (I have not seen
the corner) etc.

Give any further facts which will aid in finding this
chains distant.
from which this Corner bears
side of
tree 7 inches diameter, on the
Metal Location Poster is on a

	Sec.		Sec.
	Sec.		Sec.

(Make sketch of topography near Corner)