

U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

144 N. R. 26 W. Mer.

Corner common to Sections
12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

Corner consists of a post (not) in place



State condition New-treated post

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Ray W. Tassett
(Signature)

Sept. 1953
(Date) (Title)

Chadwell

Give any further facts which will aid in finding this Corner again. Set 5th post 3 1/2 feet high and scribed "SC". One original G.L.O. B.T. with visible scribing remains. Post is 0.20 west of woods road and 4 chains south from forks of woods roads. Wired old lotted post to the new one.


chains distant

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 27 N. R. 26 W.

Mer. A-5

U. S. Department of Agriculture

FOREST SERVICE

123

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. ¹⁴⁰ ~~144~~ R. 26 Mer.

Sec. C.C. Corner common to Sections

5, and 6

Corner consists of a NO STAKE (not) in place

State condition

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

N W S E

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

| |
|--------------|
| C.C. S. 6 |
|--------------|

| |
|--|
| |
|--|

| |
|--------------|
| C.C. S. 5 |
|--------------|

| |
|--|
| |
|--|

| |
|------|
| B.T. |
|------|

| |
|--|
| |
|--|

| |
|------|
| B.T. |
|------|

| |
|--|
| |
|--|

Species J.P. J.P. snag

Diameter 14 in. 10

Bearing S. 22 W. S 43 E

Distance 19 Lks. 49 Lks.

Do you believe this to be a genuine Land Office Corner? Yes

~~If not, why?~~

A. Friesen

(Signature)

10/14/35

(Date)

2-7394 A-5 (Title)

5511239

put in 7 9" square
stake 36" in height
located by measurement
given in old notes

of cor. sec. 31 + 32

This cor. is 5 chs. E.

Corner again.

Give any further facts which will aid in finding this

chains distant.

R. 19

from which this Corner bears

S 22° W

side of

tree 14 inches diameter, on the

Metal Location Poster is on a

J. P. B. I.

| | | | |
|--|--------|----------|--------|
| | | | |
| | Sec. 6 | | Sec. 6 |
| | | | |
| | Sec. 6 | | Sec. 6 |
| | | 5c. type | |

(Make sketch of topography near Corner)

Mer.

R. 26

T. 144