

U. S. Department of Agriculture
FOREST SERVICE

E-9

Chippewa NATIONAL FOREST

123

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. 5th Mer.

Section Corner common to Sections
5, 4, 8, and 9

Corner consists of a (not) in place


State condition No State Found

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Cedar Cedar spruce stump,
Diameter 10" 7" 10"
Bearing S47°W N72°E N30°W
Distance 15L. 10L. 30L.

Do you believe this to be a genuine Land Office Corner?
If not, why?

HANSON.
(Signature)

11/29/35
(Date)

2-7394 E-9
(Title)

IN AC AND BCTYPE
 BIRAZED LINES
 GOING E-W-BANDS
 FROM COR.
 SET CEDAR STAKES
 3" SQUARE
 PUT E.S.K.P. ON BANDS
 Tree.

Corner again.


Give any further facts which will aid in finding this

chains distant.

from which this Corner bears N 27° W.

side of Tree
 tree 6 inches diameter, on the NW

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 144 N. R. 26 W. S. 1/4 Mer.

U. S. Department of Agriculture

FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. Mer.

Sec. Corner common to Sections

4, 5, 8, and 9

Corner consists of a (not) in place


State condition New treated post

Dimensions above ground inches


Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E




NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

Ray W. Jesutt

(Signature)

Sept 6 1953

(Date)

(Title)


Two original cedar B.T.'s are lying. They are an 8" cedar N. 72° E. 0.87 ch. and a 12" cedar S. 77° W. 0.18 ch. Put new RSLF tag on the latter and on track on road 7.70 ch. west of corner.

819
" 813" in original G.L.O. position. Corner again. Set treated post scribbled

Give any further facts which will aid in finding this chains distant.

from which this Corner bears side of

tree inches diameter, on the Metal Location Poster is on a



(Make sketch of topography near Corner)

Form 874-9—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

E-9

Shippova NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 14 N. B. 26 W. Mer.

Sec. Corner common to Sections

4, 5, 8, and 9

Corner consists of a (not) in place

State condition **New treated post**

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? **Yes**

If not, why? _____

Fessett

(Signature)

J.B.

(Date)


S.P.M.
8-7204

(Title)

Two original cedar B.T.'s are lying. They are an 8" cedar N. 72° E. 0.07 ch. and a 12" cedar S. 47° W. 0.18 ch. Put new flag on the latter and on track of road 7.70 ch. west of corner.

SEC 7 1/2 " In original G.L.O. position. Corner again. Set treated post described. Give any further facts which will aid in finding this chains distant.

from which this Corner bears side of tree. inches diameter, on the Metal Location Poster is on a



(Make sketch of topography near Corner)