

U. S. Department of Agriculture

FOREST SERVICE

A-9

Chippewa

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 14 N. R. 26 W. Mer.

Sec. 1. Corner common to Sections 1, 2, 3, 4, 5, 6, 7, 8, and 9.

Corner consists of a (not) in place

State condition New treated post.

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

--	--	--	--

N W S E

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? No

If not, why?

F.S. established by 1951 W.O. survey crew.

Ray W. Lassett (Signature)

Sept 1953 (Date)

(Title)

A-819

Give any further facts which will aid in finding this
 Corner again. Set treated post 7 feet high
 and scribbled "SC" on a small raise about
 1.50 ch. west of a swamp or temporarily
 marked by 1991 crew. A 6" balsam with
 new B.B.P. tag bears S. 30° E. 0.15 ch. An
 8" balsam bears S 76° W. 0.59 ch. An 8"
 balsam bears N. 59° E. 0.26 ch. Corner
 common to Secs. 32 & 33 of T. 175 N. 13
 S. 15 west and is marked by similar post.


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 175 N. R. 26 W.

Mer.

A-9

U. S. Department of Agriculture

FOREST SERVICE

A-9

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. Mer. Sec. Corner common to Sections

4, and 5

Corner consists of a (not) in place State condition New treated post.

Dimensions above ground inches Sketch grooves, letters, figures, or notches, on proper face or edge. CARDINAL POSITION DIAGONAL POSITION

Table with 4 columns labeled N, W, S, E for cardinal positions.

Table with 4 columns labeled NW, SW, SE, NE for diagonal positions.

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Table with 4 columns and 2 rows for sketching bearing trees and rocks.

Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner?

If not, why?

F.S. established by 1951 W.O. survey prev.

Asset.

(Signature)

(Date)

(Title)

Corner again. Set treated post 7 feet high
 and scribbled "SQ" on a small raise about
 1.50 dm. west of a swamp as temporarily
 marked by 1991 crew. A 6" balsam with
 new 1951 tag bears S 30 E. 0.15 ch. An
 8" balsam bears S 46 W. 0.59 ch. An 8"
 balsam bears N. 55 E. 0.26 ch. Corner
 common to bears. 32 S 93 of T. 175 N. is
 5.15 west and is marked by similar post.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 175 N. R. 26 W. Mer.