

U. S. Department of Agriculture
FOREST SERVICE

R-11
11-23-36
123

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 26 Mer.

Corner common to Sections

21, and 28

Corner consists of a square stake in place

State condition decayed

Dimensions above ground 25 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

14 S			
B.T.			

Species oak

Diameter 8"

Bearing N50W

Distance 32 Lk.

Do you believe this to be a genuine Land Office Corner? *yes*

If not, why? _____

A. Friesen


(Signature)

11/29/35

(Date)

(Title)

(Make sketch of topography near Corner)



Metal Location Poster is on a

tree 8 inches diameter, on the

side of

from which this Corner bears

0.32 chains distant.

Give any further facts which will aid in finding this

Corner again.

cat face on 14 in.

elm, 0.24 chs. S. 35° E.

8-7304

T. 144 R. 21 Mer.

U. S. Department of Agriculture
FOREST SERVICE

R-11

~~Chippewa~~ NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 1/4 N. R. 26 W. Mer.

1/4

Corner common to Sections

21, and 28

Corner consists of a post (not) in place

State condition New treated post

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Ray W. Jansett
(Signature)
Sept. 1953
(Date)

(Date)

(Title)

R-11

is now gone.

1935, but original B.T. then existent
final corner by F.S. man (A. Plesner) in
point that was determined to be an ori-
in an old NW-SE dim trail. This is same
and 6" balise is N63°E 0.25 ch. Post is
NW 0.32 ch., 18" elm is S39E 0.24 ch.,
described "1/4 80" from which 10" oak is
Corner again. Set 7" post 3' feet high and

Give any further facts which will aid in finding this


chains distant. 0.24

from which this Corner bears N 35° W.

side of said elm

tree 18 inches diameter, on the NW

Metal Location Poster is on a Elm



(Make sketch of topography near Corner)

T. 144 N., R. 26 W.

Mer.

R-11

U. S. Department of Agriculture

FOREST SERVICE

R-11

Chippewa

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 14 N. R. 26 W. Mer.

1/4

Corner common to Sections

21

28

Corner consists of a (not) in place

State condition New treated post

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

F. J. [Signature]

(Signature)

J.B.

(Date)

(Title)

Is now gone.

1935, but original N.T. then existent
Other corner of T.S. near (A. Peterson) in
point that was determined to be an old
in an old NW-SE dim trail. This is same
and 6" below to N63°E 0.25 CH. Post is
NOW 0.32 CH., is also to S37E 0.27 CH.,
set 7" post 3/4 foot high and
Corner again. Set 7" post 3/4 foot high and
Corner again.

Give any further facts which will aid in finding this
corner.


0.27 chains distant.

from which this corner bears
side of said elm

tree 18 inches diameter, on the NW

Metal Location Poster is on a

RM



(Make sketch of topography near corner)