

U. S. Department of Agriculture

FOREST SERVICE

11-14-36
C-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 26 5th Mer.

1/4 Corner common to Sections
3, and 4

Corner consists of a _____ (not) in place
State condition _____

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? **NO**

If not, why? **Could Not Find it.**

Edward Iverson

(Signature)

Estimator

(Title)

8/11/29
(Date)

C-13

Intersession of section
and quarter line found no
bearing trees nor corner
left.

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this corner bears

side of

tree. inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near corner)

Form 874-9—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

C-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. Mer.

3/4 Corner common to Sections 3 and 4

Corner consists of a _____ (not) in place

State condition New treated post

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

			3

Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? No

If not, why? _____

Ray W Fassett
(Signature)
Sept 1953
(Title)


(Date)

(Title)

C-13

Set 7" treated post $3\frac{1}{2}$ feet high from
 which a new FSLP tag on a 6" birch bears
 N. 77° W. 0.13 ch. No traces of original
 corner. This is an F.S. established
 corner. Corner is in an aspen flat and
 is set in "1/7 9C".

Corner again. No cleared base.
 Give any further facts which will aid in finding this
 chains distant.
 from which this Corner bears
 side of
 tree inches diameter, on the
 Metal Location Poster is on a



(Make sketch of topography near Corner)

U. S. Department of Agriculture

FOREST SERVICE

C-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 14 N. R. 26 W. Mer.

1/4 Corner common to Sections

3, and 4

Corner consists of a (not) in place

State condition New treated post

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? No

If not, why?

Fasset

(Signature)


13

(Date)

(Title)

Set a treated post $3\frac{1}{2}$ feet high from
 which a new TSP tag on a 6" birch bears
 N. 7° W. 0.13 ch. No traces of original
 corner. This is an A.S. established
 corner. Corner is in an aspen flat and
 is bordered $1\frac{1}{2}$ ch.

Corner again.
 Give any further facts which will aid in finding this
 chains distant.
 from which this Corner bears
 side of
 three inches diameter, on the
 Metal Location Poster is on a



(Make sketch of topography near Corner)