

U. S. Department of Agriculture
FOREST SERVICE

J-19
11-18-26
123

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 26 Mer.

1/4 Corner common to Sections 11, and 14

Corner consists of a Scribed Stake (set) in place
State condition Well Preserved

Dimensions above ground 36 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

1/4 S		1/4 S	
N	W	S	E

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

1/4 S			
B.T.			

Species Cedar

Diameter 8"

Bearing N 55° W

Distance 4 1/2

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

H. A. Brill

(Signature)

Chief of Party


(Title)

2/23/34
(Date)

J-19

Metal Location Poster is on a Cedar tree. inches diameter, on the S.W. side of Cedar tree from which this Corner bears 5 1/2 miles distant. Give any further facts which will aid in finding this Corner again.

Blazed line runs South and West from corner



(Make sketch of topography near Corner)

U. S. Department of Agriculture

FOREST SERVICE

J-19

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. 5th Mer.

Corner common to Sections 144, 145, 146, and 147

Corner consists of a _____ (not) in place


State condition New treated post

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION




N W S E

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? II

Ray W. Tasset
(Signature)


Sept 1953

(Date)

(Title)

J-19

Chipbews
 CORNER OF THE ...
 11/17/17. Set in RSIP
 Set 7" treated post 4 feet high and
 on the existing original cedar B.T.
 Corner again. New treated post
 Give any further facts which will aid in finding this
 chains distant.
 0.05
 from which this Corner bears S. 54.0 E.
 side of Said tree
 tree 8 inches diameter, on the S.E.
 Metal Location Poster is on a Cedar B.T.



(Make sketch of topography near Corner)

U. S. Department of Agriculture
FOREST SERVICE

I-19

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. 5th Mer.

1/4

Corner common to Sections

11

and

14

Corner consists of a _____ (not) in place

State condition New treated post

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Insett


(Signature)

5/3
(Date)

(Title)

Corner again.
Set 7" treated post 4 feet high and
marked "1/6 11/16". Set new FSIP
on the existing original cedar B.T.
Survey 2-10-37 J.H.

Metal Location Poster is on a
Cedar B.T.
tree 8 inches diameter, on the
S.E.
side of **Sald tree**
from which this Corner bears
S. 57.° E.
0.05
chains distant.
Give any further facts which will aid in finding this



(Make sketch of topography near Corner)