

Form 874-B—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

A-1

Chippewa NATIONAL FOREST
 CORNERS OF THE PUBLIC SURVEY

T. 144 R. 28+29 5th Mer.

S.E.C. Corner common to Sections
 _____, _____, 1, and 6

Corner consists of a _____ (not) in place

State condition _____

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T. 145 N.	
R. 28 W.	
S. 31.	

--	--

T. 145 N.	
R. 28 W.	
S. ?	

--	--

B. T.	
-------	--

--	--

B. T.	
-------	--

--	--

Species J. Pine _____ J. Pine _____

Diameter 12" _____ 17" _____

Bearing N 20 E _____ N. W. _____

Distance 6' _____ 5' _____

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

C. B. Stott

(Signature)

2/23/28
 (Date)

J. F.
 (Title)

A-1

STATE OF TEXAS
COUNTY OF DALLAS

John R. R.
Sec. R. R. about 6 chs.

Corner again.

Give any further facts which will aid in finding this


15 1/4 ~~feet~~ ^{feet} distant.

from which this Corner bears N. 20° E.

side of E & W 117°

tree 11 inches diameter, on the S.

Metal Location Poster is on a *D. R. R.*



(Make sketch of topography near Corner)

T. 144 R. 24 Mer. 5th

U. S. Department of Agriculture

FOREST SERVICE

A-1

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 28 S. 5th Mer.

Section Corner common to Sections

6, 144-28, and

Corner consists of a 2-B-T in place


State condition Poor

Dimensions above ground inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

STONE CORNERS

METAL CORNERS



N W S E

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T. 144N
R. 28W
Sec. 6



Species Dead J. Pine Dead Pine on ground

Diameter 12" 14"

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

Stanley M. Morrison

(Signature)

Forester and


(Title)

6/22/60

(Date)

T. 144 R. 28 S. 2 Mer.

(Make sketch of topography near Corner and show section line markers thus "X")



Metal Location Poster is on a *corner* tree 5 inches diameter, on the *NE* side of *the* *NE* this Corner bears *NE* from which *270* chains.

Section line marker between Secs. _____ and _____ is on _____ (Bearing) _____ (Distance) _____

_____ on the _____ (Tree, post, etc.) _____ located _____ chains E, W, N, S, from Sec. Cor.; 1/4 Cor.; Witness Cor. (Cross out nonapplicable)

Give any further facts needed to find Corner again:

Old line corner SE fine knowledge
N.R. ~~at~~ ~~the~~ ~~line~~ ~~corner~~
E. 2 1/2 Ch. E 1/2 Sec. = 31
T. 145-28 (offset in Township)

The corner shown on the map is the same as the one shown on the map