

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Posted
P-1

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 145 N R. 27 W 28 S Mer.

1/4 Corner common to Sections
24, 19, and _____

Corner consists of a Square scribed ^{stake} (not) in place

State condition good large & better at Butt

Dimensions above ground 3' x 4' x 36" inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

	<u>1/4</u>		<u>1/4</u>
	<u>S</u>		<u>S</u>
	<u>24</u>		<u>19</u>

N W S E

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>F. S.</u> <u>yellow</u> <u>marker</u>	<u>Catface</u>	<u>Catface</u>	<u>-</u>

Species Tam. Tam. Tam.
Diameter 5" 4" 4"
Bearing W. S. N.
Distance 15' 5' 10'

Do you believe this to be a genuine Land Office Corner? yes

If not, why? _____

Z. A. Zasada
Tech. Foreman


12/7/33 Emil Penttinen
11/1/29 _____
Date. Signature. Title.

T. 145 N R. 27 W

Mer. 5

8-3027

(Make sketch of topography near corner.)



Metal Location Poster is on a TAMARACK log.

tree 65 inches diameter, on the E West

side of N45 LINE

from which this Corner bears W 10° N

23 chains distant.

Give any further facts which will aid in finding this ?

Corner again.

Met chain from

the top of the

W side of dam

corner is in a Tam. swamp. see line

Marker on Wimmie Dam Rd. marked

back 6. To cor. is 27 1/2 chs. S. of 1/4 sec. cor.

Form 874-9—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

90

123
 P-1

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 145 R. 27-28 5 Mer.

1/4 Section Corner common to Sections
 24 (145-28) and 19 (145-27)

Corner consists of a Wooden Post in place
 State condition Loose and Rotten at Butt

Dimensions above ground 36 inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

	1/4 5 24		1/4 5 19
N	W	S	E

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

F.S. Yellow Marker	Catface	Catface	

Species Tamarack Tam. Tam.
 Diameter 5" 4" 4"
 Bearing W S N
 Distance 15' 5' 10'

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Z. A. Zarada
 (Signature)


12-7-33

(Date)

Tech. Foreman
 (Title)

Corner is in a tamarack swamp
 Sec. line marker on which
 Dams rd marked 12 chs S to
 corner is 2 1/4 chs S of
 1/4 sec corner
 Corner again.

Give any further facts which will aid in finding this
 15' chains distant.
 from which this corner bears East
 side of corner
 tree 5 inches diameter, on the West
 Metal Location Poster is on a Tamarack



(Make sketch of topography near corner)