

Form 874-B—Revised May, 1918  
 U. S. Department of Agriculture  
 FOREST SERVICE

28

123

Chippewa NATIONAL FOREST

B-19

CORNERS OF THE PUBLIC SURVEY

T. 14bN R. 27W 5th Mer.

1/16

Corner common to Sections

26

Corner consists of a ~~square stake~~ (XXX) in place

State condition Rotted off at ground level

Dimensions above ground 3.0 inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

|      |                |      |   |
|------|----------------|------|---|
| 1/16 | <del>XXX</del> | 1/16 |   |
| S    |                | S    |   |
| N    | W              | S    | E |

|    |    |    |    |
|----|----|----|----|
|    |    |    |    |
|    |    |    |    |
| NW | SW | SE | NE |

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

|      |      |  |  |
|------|------|--|--|
| 1/16 | 1/16 |  |  |
| S    | S    |  |  |
| B.T. | B.T. |  |  |

Species Spruce Spruce

Diameter 9" 7"

Bearing N86W S4W

Distance 141ks. 71ks.

Do you believe this to be a genuine Land Office Corner? **Yes.**

If not, why? \_\_\_\_\_

*Carl M. Handy*  
 (Signature)  
 Chief of party

6/13/34

(Date)

(Title)

Both B.T.'s are on ground and  
badly rotten. Scribbling is still  
in good condition.

Corner again.

Give any further facts which will aid in finding this

chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| <p>Sec.</p> | <p>Sec.</p> | <p>Sec.</p> | <p>Sec.</p> |
| <p>Sec.</p> | <p>Sec.</p> | <p>Sec.</p> | <p>Sec.</p> |

(Make sketch of topography near Corner)

U. S. Department of Agriculture  
FOREST SERVICE

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 145 R. 27 5th Mer.

CN 1/4 Corner common to Sections

26 and

Corner consists of a squared stone (not) in place

State condition poor

Dimensions above ground 40 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

N W S E

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

|                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|
| S<br>26<br>old<br>BT | S<br>26<br>old<br>BT | S<br>26<br>new<br>BT | S<br>26<br>new<br>BT |
|----------------------|----------------------|----------------------|----------------------|

Species Spruce Spruce Cedar Cedar

Diameter rotted rotted 11" 16"

Bearing S 87° W S 4° E S 10° W N 31° E

Distance 9.2' 4.6' 20.2' 18.7'

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? NO 1/4 COX ON

orig. survey  
(County Cor.)


(Signature)

4-23-58

(Date)

(Title)

(Make sketch of topography near Corner)



Codart

Metal Location Poster is on a

tree 11 inches diameter, on the

North

side of

from which this Corner bears

N 10 E

20.6 FT. ~~to this distant~~

Give any further facts which will aid in finding this

Corner again.

I 61030d LINS  
To 1830

Department of Agriculture

Form 780a