

U. S. Department of Agriculture
FOREST SERVICE

R-1

Appena NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 146 N R. R 26-27 W Mer.

Section Corner common to Sections

19, 20 - 24, and 25

Corner consists of a ✓ (not) in place


State condition Good - New

Dimensions above ground 30" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



S-	S-	S°	S-
24	25	30	19

N W S E

NW SW SE NE

Mound of _____ is located _____

~~Pits are located~~

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

0512
24

New
S-
25'

[Blank]

S-
30

BT

BT

[Blank]

BT

Species N. Pine P. Oak Asp.

Diameter 20" 6" 10"

Bearing N-80°W S-69°30'W S-17°30'E

Distance 43 1/2 58 1/2 41 3/4

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? Corner position is original but reestablished by J. A. Gjelhom, Jr., Civil Eng.

Bolke

(Signature)

Aug 1936
(Date)


Chief of Party
(Title)

92

SECTION 25
SECTION 26
SECTION 27
SECTION 28

Poster is located on ~~west~~
side of ~~SWP~~ ~~at~~ ~~the~~ ~~top~~ ~~of~~ ~~the~~ ~~hill~~
Type A round corner is ~~used~~
Hand woods -
Order again.

Metal Location Poster is on a
tree _____ inches diameter, on the
side of _____
from which this Corner bears _____
_____ chains distant.
Give any further facts which will aid in finding this



(Make sketch of topography near Corner)

T. 116N R. 26.27W 5TH Mer.

Form 874-B—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

R-1

Chippewa NATIONAL FOREST
 CORNERS OF THE PUBLIC SURVEY

T. 146 N R. 26 W 5th Mer.

Section Corner common to Sections
 19, 30, 24, and 25

Corner consists of a road (not) in place
 State condition New

Dimensions above ground 30" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

S	S	S	S
24	25	30	19

N W S E

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

019
 S
 24

S
 25

S
 30

BT

BT

BT

Species NP. P. oak P. sp. N

Diameter 20" 6" 10"

Bearing N80W S64 3/4 W S17 3/4 E

Distance 13 1/2 58 1/2 41 3/4

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

(Signature)

(Date)


(Title)

UNITED STATES GEOLOGICAL SURVEY
BUREAU OF LAND MANAGEMENT

CORNER OF THE PUBLIC LANDS

Corner again.

Give any further facts which will aid in finding the
chairs distant
from which this Corner bears
side of
tree inches diameter, on the
Metal Location Poster is on a



(Make sketch of topography near Corner)