

U. S. Department of Agriculture  
FOREST SERVICE

R-5

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

Section Corner common to Sections  
19, 20, 30, and 29

Corner consists of a Iron Nail (not) in place


State condition New

Dimensions above ground 6" - 24" - 20" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION




N W S E

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species	Cedar	Iron	Cedar	Cedar
Diameter	6	14	5	7
Bearing	N40°E	S5½E	S60°W	N30°W
Distance	69	13	25	46 1/2

Do you believe this to be a genuine Land Office Corner? yes

If not, why? \_\_\_\_\_

(Signature)

(Date)

(Title)

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 142 N. R. 22 W. 5th Mer.

U. S. Department of Agriculture  
FOREST SERVICE

Q5

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

Section Corner common to Sections  
19, 20, 29, and 30

Corner consists of a Iron pipe (not) in place  
State condition GOOD

Dimensions above ground 12 1/2" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

T147N 19	R27W 30	29	20
-------------	------------	----	----

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T147N R27W S20	T147N R27W S29	T147N R27W S30	T147N R27W S19
BT	BT	BT	BT

Species	Cedar	Poplar	Cedar	Cedar
Diameter	8"	14"	5"	7"
Bearing	N40E	S51E	S60W	N30W
Distance	.69	.13	.25	.46 1/2

Do you believe this to be a genuine Land Office Corner? **yes**

If not, why? \_\_\_\_\_

Walter Haberle

2/17/49

(Signature)

Leader

(Date)

(Title)

-----  
 -----  
 -----  
 -----  
 -----  
 -----  
 -----  
 -----  
 -----  
 -----

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the In sec. 29-30

Metal Location Poster is on the bearing trees



(Make sketch of topography near Corner)

T. 147N R. 27W 5th Mer.

U. S. Department of Agriculture

FOREST SERVICE

Chippewa NATIONAL FOREST R-5

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.  
Section

Corner common to Sections 19, 20, 29, and 30

Corner consists of a Iron pipe (not) in place

State condition good

Dimensions above ground 1"12" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

T147N		R27W	
19	30	29	20

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T147N R27W S20	T147N R27W S29	T147N R27W S30	T147N R27W S19
----------------------	----------------------	----------------------	----------------------

BT	B $\frac{1}{2}$	BT	BT
----	-----------------	----	----

Species Cedar Poplar Cedar Cedar

Diameter 7" 14" 5" 7"

Bearing N40E S5 $\frac{1}{2}$ E S60 $\frac{1}{2}$ W N30 $\frac{1}{2}$ W

Distance .69 .13 .25 .46 $\frac{1}{2}$

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? \_\_\_\_\_

Walter Haberle

2/17/40


(Signature)

Leader

(Date)

(Title)

Metal Location Poster is on a  
 The bearing trees  
 tree inches diameter, on the  
 side of  
 from which this Corner bears  
 chains distant.  
 Give any further facts which will aid in finding this  
 Corner again.



(Make sketch of topography near Corner)

U. S. Department of Agriculture

FOREST SERVICE

Chippewa NATIONAL FOREST R-5

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer. Section

19, 20, 29, and 30 Corner common to Sections

Corner consists of a Iron pipe (not) in place  
State condition good

Dimensions above ground 1"12" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

	T147N 19	R 27W 30x29	20
NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

	T147N R27W S20	T147N R27W S29	T147N R27W S30	T147N R27W S19
--	----------------------	----------------------	----------------------	----------------------

BT		BT		BT		BT
----	--	----	--	----	--	----

Species	Ced	er	poplar	Ceder	Ceder
Diameter	6"	14"	5"	7"	
Bearing	S40E	S52E	S60W	N30W	
Distance	.69	.13	.25	.46	

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? \_\_\_\_\_

Walter Haberle

(Signature)

Leader

2/17/40

(Date)

(Title)

Corner again.

Give any further facts which will aid in finding this

chains distant.


from which this Corner bears

side of

tree inches diameter, on the

in sec. 30-29

Metal Location Poster is on a The bearing trees



(Make sketch of topography near Corner)

Mer.

5th

27W

147N

T.