

N13

U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147 R. 27 5th Mer.

S.E.C. Corner common to Sections

15, 16, 21, and 22

Corner consists of a Scribed square ^{Post} ~~(not)~~ in place

State condition New

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T. 147 N.	T. 147. N
R. 27 W.	R. 27. W

T. 147. N	T. 147. N
R. 27. W	R. 27. W

S E	S
-----	---

S	S
---	---

--	--

--	--

Species N.P. N.P. _____

Diameter 8" 16" _____

Bearing S. 40 E S. 0° _____

Distance 6. lks. 7. lks. _____

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

J. P. Hamala
(Signature)

5/18/35.
(Date)

Tech. Foreman
(Title)

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a *Not posted*



(Make sketch of topography near Corner)

U. S. Department of Agriculture

FOREST SERVICE

N-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

Section Corner common to Sections 16, 15, 21, and 22

Corner consists of a Concrete Mon. (not) in place

State condition Just Erected

Dimensions above ground 6-24" x 20" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

516	515
521	522

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

515	522	521	516
BT	BT	BT	BT

Species NO NO NO Birch
 Diameter 6" 8" 14" 4"
 Bearing N29 1/2 E S70 E S77 3/4 W N32 1/2 W
 Distance 55 21 19 33


Do you believe this to be a genuine Land Office Corner? Yes
If not, why? _____

(Signature)

1936
(Date)

(Title)

Metal Location Poster is on a
 tree inches diameter, on the
 side of
 from which this Corner bears
 chains distant.
 Give any further facts which will aid in finding this
 Corner again.



(Make sketch of topography near Corner)

T. LAMON R. 2700
 Mer. 5-46

U. S. Department of Agriculture

FOREST SERVICE

N-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 142N R. 27W 5th Mer.

Section Corner common to Sections

16, 15, 21, and 22

Corner consists of a concreted nail in place



State condition Just Erected

Dimensions above ground 6-34" x 20" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species	ND	ND	ND	Birch
Diameter	6"	8"	14"	4"
Bearing	N29 1/2 E	S70 E	S72 3/4 W	N132 1/2 W
Distance	55	21	19	33

Do you believe this to be a genuine Land Office Corner? yes

If not, why? _____


(Signature)

1936 (Date)

(Title)

63

Metal Location Poster is on a tree inches diameter, on the side of from which this Corner bears chains distant. Give any further facts which will aid in finding this Corner again.



(Make sketch of topography near Corner)

Mer.

T. MAIN R. 270 5th

Form 574-B—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

Chippewa NATIONAL FOREST N-13



CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

1/4 Corner common to Sections 16, 15, 21, and 22

Corner consists of a granite (not) in place
 State condition OK

Dimensions above ground 6x24x20 inches
 Sketch grooves, letters, figures, or notches, on proper face or edge.



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S15	S22	S21	S16
BT	BT	BT	BT

Species	<u>NP</u>	<u>NP</u>	<u>NP</u>	<u>Birch</u>
Diameter	<u>6"</u>	<u>8"</u>	<u>14"</u>	<u>4"</u>
Bearing	<u>N29 3/4 E 57 1/2</u>	<u>S77 1/4 W</u>	<u>N32 1/2 W</u>	
Distance	<u>55</u>	<u>21</u>	<u>19</u>	<u>33</u>

Do you believe this to be a genuine Land Office Corner? _____

If not, why? _____

(Signature) _____

(Date) _____ (Title) _____


U. S. DEPARTMENT OF THE INTERIOR

Geological Survey

UNITED STATES GEOLOGICAL SURVEY

CORNER OF THE PUBLIC LANDS

Corner signs
 Give any further facts which will aid in finding this
 claim distant.
 from which this Corner bears
 side of
 tree inches diameter, on the
 Metal Location Poster is on a



(Make sketch of topography near Corner)