

U. S. Department of Agriculture
FOREST SERVICE

A to E-1

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 47N R. 27W S. 74 Mer.

Meander Corner common to Sections

_____ and _____

Corner consists of a Post in place



State condition Intact

Dimensions above ground 1" - 27 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Ash Elm

Diameter 12"

Bearing N35E N24W

Distance 17 63

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

(Signature)

(Date)

(Title)

U.S. GEOLOGICAL SURVEY

U.S. GEOLOGICAL SURVEY

CORNER OF THE PUBLIC HIGHWAY

Corner again:

Give any further facts which will aid in finding this


chain's distant

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

U. S. Department of Agriculture
FOREST SERVICE

Chippawa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

Meander Corner common to Sections
1, and 6

Corner consists of a Iron Pipe (not) in place



State condition Just Erected

Dimensions above ground 1" — 27" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Ash Elm

Diameter 5" 12"

Bearing N35°E N24°W

Distance 17 63

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

(Signature)

1936
(Date)

(Title)

Corner again.

Give any further facts which will aid in finding the


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

Mer.

574

R. 2700

T. 197N

U. S. Department of Agriculture

FOREST SERVICE

A to E-1

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

Meander Corner common to Sections 1, and 6

Corner consists of a Iron Pipe (not) in place



State condition Good

Dimensions above ground 1" - 27" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION




N W S E

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Ash Elm

Diameter 5" 12"

Bearing N35°E N24°W

Distance 17 63

Do you believe this to be a genuine Land Office Corner?

If not, why?

(Signature)

1936


(Date)

A, B-1

(Title)

(Make sketch of topography near Corner)

T. 197N R. 27W
S. 1/4 Mer.



Metal Location Poster is on a

tree inches diameter, on the

side of

from which this Corner bears

chains distant.

Give any further facts which will aid in finding this

Corner again.

MC

#1 FROM
N

NORTHEAST SHORE
MIDDLE PIGEON



U. S. Department of Agriculture

FOREST SERVICE

A to E-1

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th-Mer.

Corner common to Sections

6, and 1

Corner consists of a *Iron Pipe* (not) in place



State condition *Just Excited*

Dimensions above ground *1" - 2 1/2"* inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<i>T-147N</i> <i>R-27W</i> <i>3-6</i>	<i>R28</i> <i>51</i>		
<i>BT</i>	<i>BT-</i>		

Species *Cash* *Cash*

Diameter *7"* *5"*

Bearing *3-80 1/2° E* *3-25 1/2° W*

Distance *.6* *.37*

Do you believe this to be a genuine Land Office Corner? *Yes*

If not, why? _____

1936

(Signature)

(Date)

A, B - 1

(Title)

Metal Location Poster is on a _____ inches diameter, on the _____ side of _____ from which this Corner bears _____ chains distant.

Give any further facts which will aid in finding this Corner again.

	Sec.		
	Sec.		

(Make sketch of topography near Corner)

T. R. Mer.

U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th-Mer.

Meander Corner common to Sections

.....,, and

Corner consists of a Iron Pipe (not) in place



State condition Just Erected

Dimensions above ground 1" - 27" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>T-147N</u> <u>R-27W</u> <u>5-6</u>	<u>R28</u> <u>51</u>		
<u>BT</u>	<u>BT</u>		

Species ash ash

Diameter 2" 5"

Bearing S-80 1/2° E S-23 1/2° W

Distance .6 .37

Do you believe this to be a genuine Land Office Corner? yes

If not, why?

(Signature)

1936
(Date)

(Title)

Corner again.

Give any further facts which will aid in finding this

chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

	Sec.		Sec.
	Sec.		Sec.

(Make sketch of topography near Corner)

Mer.

R.

T.

WC

MC from
2 N

N SHORE EAST
Point

M. Pigeon



U. S. Department of Agriculture
FOREST SERVICE

A to E-1

Chippewa

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147 R. 27 Mer.

Menander

Corner common to Sections

_____, _____, and _____

Corner consists of a 1" Iron Pipe (not) in place

State condition just cut

Dimensions above ground 1" - 27 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

<i>T 147 N</i>			
<i>R 27 S 6</i>			
<i>MC</i>			
<i>1936</i>			

<i>marked</i>			
---------------	--	--	--

N W S E

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<i>T 147 N</i>
<i>R 27</i>
<i>S 6</i>

<i>T 147 N</i>
<i>R 28</i>
<i>S 1</i>

--

--

<i>MC BT</i>

<i>MC BT</i>

--

--

Species Ash Ash

Diameter 6 5"

Bearing S 46 E N 53 1/2 W

Distance 13 27

Do you believe this to be a genuine Land Office Corner Yes

If not, why? _____

(Signature)

(Date)

(Title)

Topographic map showing the location of the corner. The map is oriented with North at the top. The corner is located at the intersection of the 10th and 20th parallels and the 100th and 110th meridians. The corner is marked with a small circle and labeled 'Corner'.

Corner again.
Give any further facts which will aid in finding this
chain distant.
from which this Corner bears
side of
tree inches diameter, on the
Metal Location Poster is on a

	Sec.		Sec.
	Sec.		Sec.

(Make sketch of topography near Corner)

U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. *10th* R. *27W* S. *5th* Mer.

Spencer Corner common to Sections *1* and *6*

Corner consists of a *iron pipe* (not) in place



State condition *ground excavated*

Dimensions above ground *1" 27"* inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species _____

Diameter *6"* _____

Bearing *S-46°-N 3°-W* _____

Distance *13* _____

Do you believe this to be a genuine Land Office Corner? *g*

If not, why? _____

1936 (Date) _____ (Signature) _____ (Title)

Corner again.

Give any further facts which will aid in finding this

chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

	Sec. 6		Sec. 6
	Sec. 6	Sec. 1	Sec. 1
	REB	REB	

(Make sketch of topography near Corner)

T.M.W. R. 21W Mer. 5th

U. S. Department of Agriculture

FOREST SERVICE

A to E-1

~~Chippewa~~ NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

~~Meander~~ Corner common to Sections

1, and 6

Corner consists of a ~~Iron Pipe~~ (not) in place



State condition ~~Intact~~

Dimensions above ground 1" — 27" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species ~~ash~~ ~~ash~~

Diameter 6" 5"

Bearing 5-46° E N 5 3/4° W

Distance 43, 27

Do you believe this to be a genuine Land Office Corner? *yes*

If not, why? _____

(Signature)

1/36 (Date)

(Title)

BC-1

Corner again.

Give any further facts which will aid in finding this

chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

	Sec. 6		Sec. 1
	R 27	R 28	

(Make sketch of topography near Corner)

T. W. M. R. 27 W. 3th Mer.

3 2000
M

SHORE EAST
POINT
M. PEDGION



U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. R27W 5th - Mer.

Mendon Corner common to Sections
....., and

Corner consists of a Iron Pipe (not) in place



State condition Just Erected

Dimensions above ground 1" - 27 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



R28 Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Ash Edm

Diameter 7" 1 1/4"

Bearing N 79 1/2° E S 67° W

Distance .87 Lks .70 Lks

Do you believe this to be a genuine Land Office Corner?
If not, why?

(Signature)

1936
(Date)

(Title)

Corner again.

Give any further facts which will aid in finding this

chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

	Sec.		Sec.
	Sec.		Sec.
	R 270		R 280

(Make sketch of topography near Corner)

T. 142N R. 27W S. 34 Mer.

Form 974-9—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

A to E-1

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 107N R. 27W 5th - Mer.

Mandan Corner common to Sections
 _____, _____, and _____



Corner consists of a iron pipe (not) in place
 State condition just installed

Dimensions above ground 1" - 27 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



R27 is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Ash Elm

Diameter 7" 3 1/2"

Bearing N79 1/2 E S-67 W

Distance 87 11.70 LKS

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

(Signature)

1936

(Date)

(Title)

BC-1

Corner again.

Give any further facts which will aid in finding this

chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

	Sec.		Sec.
	Sec.	1	Sec.
		R 280	
	Sec.		Sec.
		R 270	

(Make sketch of topography near Corner)

T. 197N R. 27W S. 4 Mer.

~~W.C.~~

W.C.

#4 GROM

South Shore

M. Pedgley

100