

U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. *147th* R. *27th* *5th* Mer.

Meander Corner common to Sections

and *6*

Corner consists of a *iron pipe* in place



State condition *partly rusted*

Dimensions above ground *1" 27'* inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species _____

Diameter *6"* *5"*

Bearing *S-46°-NS* *NS* *W*

Distance *43* *27'*

Do you believe this to be a genuine Land Office Corner? *y*

If not, why? _____

1936
(Date)

(Signature)

(Title)

Metal Location Poster is on a tree inches diameter, on the side of _____ from which this Corner bears chains distant. _____ Give any further facts which will aid in finding this Corner again.

	Sec. 6	Sec. 1	
	R28	R28	

(Make sketch of topography near Corner)

T.M.R. R. 27th Mer.

U. S. Department of Agriculture
FOREST SERVICE

A to E-1

Chippewa

NATIONAL FOREST
CORNERS OF THE PUBLIC SURVEY

T. *147* R. *27* Mer.
Minnesota Corner common to Sections

....., and *6*

Corner consists of a *1" Iron Pipe* in place

State condition *just cut*

Dimensions above ground *1 1/2"*

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

<i>147</i>	<i>27</i>
<i>MC</i>	<i>1031b</i>

<i>marked</i>			
---------------	--	--	--

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<i>147</i>
<i>27</i>
<i>56</i>

<i>147</i>
<i>27</i>
<i>57</i>

--

--

<i>MC BT</i>

<i>MC BT</i>

--

--

Species *Ash Ash*

Diameter *2 1/2" 5 1/2"*

Bearing *S 46 E NS 3/4 W*

Distance *13 27*

Do you believe this to be a genuine Land Office Corner *Yes*

If not, why?

.....
.....
.....
.....
.....

(Signature)

(Date)

13

(Time)

1031b

CORNERS OF THE PUBLIC SURVEY

Corner consists of a ...

Distance and bearing from which will aid in finding the ...

from which this corner bears ...

Side of ...
bearing (direction), on the ...
Nearest location border is on a ...

<p>Plat was located ...</p> <p>Section consists of ...</p> <p>All corners of ...</p> <p>Distance ...</p> <p>See</p>	<p>Plat was located ...</p> <p>Section consists of ...</p> <p>All corners of ...</p> <p>Distance ...</p> <p>See</p>
<p>Do you believe this to be a ...</p> <p>Distance ...</p> <p>Bearing ...</p> <p>See</p>	<p>Do you believe this to be a ...</p> <p>Distance ...</p> <p>Bearing ...</p> <p>See</p>

(Date shown of topography near corner)

U. S. Department of Agriculture
FOREST SERVICE

A to E-1

Chippewa NATIONAL FOREST
CORNERS OF THE PUBLIC SURVEY

T. *147N* R. *27W* *5th* Mer.

Mander Corner common to Sections

....., *1*, and *6*

Corner consists of a *Iron Pipe* (not) in place



State condition *Just erected*

Dimensions above ground *1" — 27"* inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION




N W S E

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species *Red* *Red*

Diameter *6"* *5"*

Bearing *S-46° E* *N-50° W*

Distance *13* *27*

Do you believe this to be a genuine Land Office Corner? *Yes*

If not, why?

(Signature)

1936
(Date)

(Title)

BC-1

Corner again.

Give any further facts which will aid in finding the

chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

	Sec.		Sec.
	Sec. 6	1	Sec.
	R 27	R 28	

(Make sketch of topography near Corner)

T. W. R. 270 Mer. ~~374~~

3rd FROM
N

SHORE EAST
POINT
M. PEDGION

