

J9
2

Form 874-B—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST
CORNERS OF THE PUBLIC SURVEY

T. 148N R. 28W Mer. 54
 Section Corner common to Sections
8, 9, 16, and 17

Corner consists of a Steel pipe (not) in place
 State condition New - Not scribed

Dimensions above ground 40" inches
 Sketch grooves, letters, figures, or notches, on proper face or edge.
 CARDINAL POSITION DIAGONAL POSITION

N	W	S	E

Sec <u>8</u>	Sec <u>17</u>	Sec <u>16</u>	Sec <u>9</u>
NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S- <u>16</u>	S- <u>8</u>	S- <u>17</u>	
<u>BT</u>	<u>BT</u>	<u>BT</u>	


Species Basswood & Elm Elm
 Diameter 16" 7" 8" stamp
 Bearing S-45°E N-41°W S-26°W
 Distance 64LKs 40LKs 42LKs

Do you believe this to be a genuine Land Office Corner? yes
 If not, why? _____

Marvin Balke
 (Signature)
Aug. 19 - 1936 (Date) _____ (Title)
 8-7394 J-9 40

Metal Location Poster is on a _____ inches diameter, on the _____ side of _____ from which this Corner bears _____ chains distant.

Give any further facts which will aid in finding this Corner again.



(Make sketch of topography near Corner)

T. 148N R. 88W 54 Mer.

U. S. Department of Agriculture

FOREST SERVICE

J-9

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 148 R. 28 5th Mer.

Sec. Corner common to Sections 8, 9, 16, and 17

Corner consists of a Steel pipe (not) in place

State condition New

Dimensions above ground 40 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

SE	SW	SE	SE
8	17	16	9

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S-16	S-8	S-17	
B.T.	B.T.	B.T.	

Species *Pinus strobus* *Pinus strobus* *Pinus strobus*

Diameter 16" 7" 8" STAMP

Bearing S. 41° E N. 41° W S. 76° W

Distance 164 110 111

Do you believe this to be a genuine Land Office Corner? *yes*

If not, why?

Ab. Abbe

(Signature)

5/19/36

(Date)

S. J. T. ...

(Title)

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 148 R. 2 E. Mer.

U. S. Department of Agriculture
FOREST SERVICE

J-9

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 149N R. 28W 5th Mer.
Sec. _____ Corner common to Sections

8, 9, 16, and 17

Corner consists of a Steel pipe (not) in place

State condition New

Dimensions above ground 40" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

Sec. 8	Sec. 17	Sec. 16	Sec. 9
-----------	------------	------------	-----------

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S-16

S-9

S-17

S-17

B-T

B-T

BT

BT

Species Basswood Elm Elm
Diameter 10" 7" 8" STUMP
Bearing S. 44° W N. 11° W S. 76° W
Distance 0.44 0.40 0.41

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Balbo
(Signature)


Forester
(Title)

Aug. 19, 1936
(Date)

40

Metal Location Poster is on a _____
 tree _____ inches diameter, on the _____
 side of _____
 from which this Corner bears _____
 chains distant.

Give any further facts which will aid in finding this
 Corner again.



(Make sketch of topography near Corner)

T. 148 R. 2 E. Mer.