

U. S. Department of Agriculture

FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 148 R. 30 S. 24 Mer.

Corner common to Sections 7, and 18

Corner consists of a 4x4 squared scrubbed cedar (not) in place


State condition PAID

Dimensions above ground 48 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Box with '5' and '7' above 'BT' and 'STUMP' below.

Box with 'S 18' above 'BT' and 'NEW' below.

Box with 'S 18' above 'BT' and 'NEW' below.

Box with 'S 18' above 'BT' and 'NEW' below.

Box with 'S 7' above 'BT' and 'NEW' below.

Species SPRUCE, Jam. ELA Ash Ash
Diameter 10. 5" 4" 4" 4"
Bearing N. 23° W S. 72° W S. 26° E S. 77° E N. 31° E
Distance 7.9' 4.3' 27.3 25.4' 22.9'

Do you believe this to be a genuine Land Office Corner? Yes
If not, why?

(Signature)

6-17-58 (Date)

(Title)

I blazed line west
to Blackhawk Hwy.
Approx 1650 ft.

Corner again.

Give any further facts which will aid in finding this


points distant.

from which this Corner bears N 21° W

side of tree

tree 4 inches diameter, on the N.W.

Metal Location Poster is on a Elm



(Make sketch of topography near Corner)

Form 874-9—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

*already
posted*

Chippewa NATIONAL FOREST



CORNERS OF THE PUBLIC SURVEY

T. 148 N. R. 30 W. 5th Mer.

1/4 Corner common to Sections
18, and 7

Corner consists of a Cedar Post (not) in place
State condition Good

Dimensions above ground 30 inches
Sketch grooves, letters, figures, or notches, on proper face or edge.
CARDINAL POSITION DIAGONAL POSITION



Mound of _____ is located _____

_____ Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

1/4 S			
BT			

Species Cedar

Diameter Stump

Bearing S.

Distance 2.5'

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

G. D. Bauch
G. D. Bauch

(Signature)

Junior Forester

(Title)

12/15/35
(Date)

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 148 N. R. 30 W. 5th Mer.

U. S. Department of Agriculture

FOREST SERVICE

1 of 2
J-3
CHECK FOR CORNER

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 148 N. R. 30 W. 5th P. Mer.



Quarter Corner common to Sections 7, and 10

Corner consists of a Cedar stump (not) in place
4" X 48" Octig. Corner.
State condition Fair

Dimensions above ground 48 inches
Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E


NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Down Octig. B.T.



Check 5
02.14
01.

Species SPTUNE

Diameter 10"

Bearing N23°W

Distance 12

Do you believe this to be a genuine Land Office Corner? yes

If not, why? _____

John A. Gjelhaug

(Signature)

Jr. Civil Engineer

4/19/39

(Date)

(Title)

8-1

8-7394

U. S. GOVERNMENT PRINTING OFFICE: 1908

Corner again.
Give any further facts which will aid in finding this


0.26 chains distant.

from which this Corner bears S. 50° W.

side of ~~tree~~

tree 7 inches diameter, on the S.W.

Metal Location Poster is on a Cedar



(Make sketch of topography near Corner)

T. 198N. R. 30W.

1958
573 P

J-3
Mer.

Form 874-B—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 148 N R. 30 W 5th P. Mer.
Quarter

Corner common to Sections

7, and 18

Corner consists of a Cedar Stump (not) in place


State condition 4" x 48" Orig. Cor. Fair

Dimensions above ground 48 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Down Orig. B.T.

<u>1/4 S</u> <u>7</u>			<u>58</u>
<u>B.T.</u>			

Species Spruce

Diameter 10"

Bearing N. 23° W

Distance 12 lks.

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

John A. Gjelhaug

(Signature)


Jr. Civil Engineer

(Title)

4/14/39
(Date)

Metal Location Poster is on a Cedar tree 7 inches diameter, on the S.W. side of Tree from which this Corner bears S. 50° W. 0.26 chains distant.

Give any further facts which will aid in finding this Corner again.



(Make sketch of topography near Corner)