

Form 874-9—Revised May, 1918  
 U. S. Department of Agriculture  
 FOREST SERVICE

E-5

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 149 N. R. 27 W. 5<sup>TH</sup> Mer.

SECTION Corner common to Sections  
 6, 7, and 8

Corner consists of a BIRCH POST (not) in place  
 State condition GOOD

Dimensions above ground 25" inches  
 Sketch grooves, letters, figures, or notches, on proper face or edge.  
 CARDINAL POSITION DIAGONAL POSITION

N	W	S	E

56	57	58	55
NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T149 R27 56	T149 R27 55	T149 R27 56	
B.T.	B.T.	B.T.	

Species BIRCH BIRCH ASH ASH  
 Diameter 10" 12" 6" 7"  
 Bearing N48°W N45°E S22°W S15°W  
 Distance 4 LINKS 35 LINKS 3 LINKS 2 LINKS

Do you believe this to be a genuine Land Office Corner? NO

If not, why? ALL 4 SURVEY MONUMENTS  
POST AND B.T'S WERE PLACED RECENTLY

[Signature]  
 (Signature)

8/20/38  
 (Date)


(Title)

E-5

-----  
-----  
-----  
-----  
-----  
-----  
-----  
-----  
-----  
-----

Corner again.

Give any further facts which will aid in finding this  
----- chains distant.  
----- from which this Corner bears  
----- side of -----  
----- tree ----- inches diameter, on the  
----- Metal Location Poster is on a -----



(Make sketch of topography near Corner)

T. 119 N. R. 27 W. Mer. 5TH

Form 874-9—Revised May, 1918  
**U. S. Department of Agriculture**  
**FOREST SERVICE**

*Superior*  
*E5*  
*Posted*

NATIONAL FOREST

**CORNERS OF THE PUBLIC SURVEY**

T. 149 N. R. 27 W. 5 th. Mer.

Section          Corner common to Sections  
6, 5, 7, and 8

Corner consists of a Birch post (~~not~~) in place  
 State condition good.

Dimensions above ground 25" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

S.6	S.7	S.8	S.5
NW	SW	SE	NE

Mound of          is located         

Pits are located         

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T.149 R.27 S.6	T.149 R.27 S.5	T.149 R.27 S.8	
B. T.	B. T.	B. T.	

Species	<u>Birch</u>	<u>Birch</u>	<u>Ash</u>	<u>Ash</u>
Diameter	<u>10"</u>	<u>16"</u>	<u>6"</u>	<u>7"</u>
Bearing	<u>North</u>	<u>N 45° E</u>	<u>S 88° W</u>	<u>S 45° W</u>
Distance	<u>6 Li.</u>	<u>35 Li.</u>	<u>37 Li.</u>	<u>32 Links</u>

Do you believe this to be a genuine Land Office Corner? No

If not, why? G.L.O. Survey ran in 1875. Post and B. T.'s are placed recently

*Harrison Adams*

(Signature)

8/30/34

(Date)

*C.C. Asst. Leader*

(Title)

-----

-----

-----

-----

-----

-----

-----


-----

-----

-----

Corner again.

Give any further facts which will aid in finding this  
 ..... chains distant.  
 from which this Corner bears .....  
 side of .....  
 tree ..... inches diameter, on the  
 Metal Location Poster is on a



(Make sketch of topography near Corner)