

U. S. Department of Agriculture

FOREST SERVICE

Posted

R 13

Chippewa Acq. NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 149 N R. 27 W 5th Mer.

section Corner common to Sections 21, 22, 28, and 27

Corner consists of a post (not) in place

State condition good

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

not scribed			
N	W	S	E

not scribed			
NW	SW	SE	NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T149N R27W			
B. T.			

Species Cedar

Diameter snag

Bearing N 37° W

Distance 5 links

Do you believe this to be a genuine Land Office Corner? NO

If not, why? corner in good condition,

placed after C.L.P. survey had been

made.

Roy Wilson

(Signature)

Chief of party CCC

(Title)


2/8/35

(Date)

R-13

Metal Location Poster is on a _____ inches diameter, on the _____ side of _____ from which this Corner bears _____ chains distant.

Give any further facts which will aid in finding this Corner again.



T. 149N R. 27E Sth Mer. (Make sketch of topography near Corner) R-13

U. S. Department of Agriculture

FOREST SERVICE

R 13

Chippewa Acq. NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 149 N. R. 27 W. 5th Mer.

Section Corner common to Sections
21., 22., 28., and 27.

Corner consists of a post (not) in place
State condition good

Dimensions above ground inches
Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

Not scribed			
N	W	S	E

not scribed			
NW	SW	SE	NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T149N R27W			
B. T.			

Species cedar
Diameter snag
Bearing N. 37° W
Distance 5 links

Do you believe this to be a genuine Land Office Corner? NO
If not, why? corner in good condition,
placed after C.L.G. survey had been
made.

Roy Wilson
(Signature)
Chief of party CCC
(Title)

2/8/35
(Date)

Form 874-9—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 149 N R. 27 W 5th Mer.

Section Corner common to Sections
21, 22, 28, and 27

Corner consists of a Post () in place
State condition Good

Dimensions above ground _____ inches
Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

No Scrib			
N	W	S	E

No scrib			
NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T149 R27			
BT			

Species Oak _____

Diameter 5.149 _____

Bearing N 37° W _____

Distance 51 _____

Do you believe this to be a genuine Land Office Corner? No

If not, why? Corner Placed

before G. H. O. Survey

2-8-25 Nelson (Signature)

(Date) _____ (Title) R-13

Series of horizontal dashed lines for writing.


Corner again.

Give any further facts which will aid in finding this chains distant.

from which this Corner bears side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 149 N. R. 27 W. S. 77 Mer.