


X17. posted

Section Corners 1/4 34-35

150 R 25 No. 5



Corner to
* not in place
Height _____
Dia _____
Marked _____

MEASURING TAPERS

Notes _____
Species W. C. _____
Diameter 8 _____
Bearing S 72° W _____
District 16.45 _____

Metal poster Black Butte S 72° W N 1/4

Remarks Log 1/4 road, about 1/2 mi
63 1/2 mi. S 72° W 1/4

Date 3-34 Signed [Signature]

X-17

[REDACTED]

[REDACTED]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

[REDACTED]

[REDACTED]

U. S. Department of Agriculture

FOREST SERVICE

X-17

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 150 R. 28 5 Mer.

1/4 Corner common to Sections 34, and 35

Corner consists of a Not in place (not) in place State condition

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

NW	SW	SE	NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

1/4 S			
B.T.			

Species Birch

Diameter 8"

Bearing S 72° W

Distance 1 1/2

Do you believe this to be a genuine Land Office Corner? yes

If not, why?

L. M. Johnson

(Signature)

2-14-24

(Date)

(Title)

X-17

Timber cut on East side of line corner Highland.

63 LKS. bears N 65° W

Logging Road South of 1/4 corner

Logging Road over 1/4 cor N 75° S

Corner again.

Give any further facts which will aid in finding this


1/4 LKS. ~~obvious~~ distant.

from which this Corner bears S 72° W

side of

tree inches diameter, on the

Metal Location Poster is on a BIRCH B.T.



(Make sketch of topography near Corner)