

600700

✓ 76

Minnesota National Forest

Corner Sec Township 142 Range 3 Meridian 5

Corner Description 1 and 2 on north side

Corner Markings Iron corner about high zinc dimension

Witnesses
1 Oak bin on stump S68°E 50 feet
2 Jack 6 " " " S40°E 130 feet

General Location on hill in opening a few Jacks to the south

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any.)

JAN - 8 1924

M. Cummings
Forest Ranger

Any link?
##.

600700

Minnesota National Forest

Township Range Meridian

Corner Secs 14 2 142 31

Corner Description

Iron 2" above ground

Corner Markings

Witnesses

Oak 6" S 68° E. 50ft.
Jack 6" S 40° E. 130ft.

General Location

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners, or other distinctive objects which will enable others to locate. Mention blazing done if any.)

On a hill.

JAN 9 1974

Melvin J. Tompkins
Forest Ranger

checked
1/25
HH

600700

Form 874-9

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Mims NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. *142* R. *31* Mer. *8*

Corner common to Sections
1, _____, _____, and *2*

DESCRIPTION OF CORNER

Corner consists of a *Iron*

Dimension above ground *2 1/2* inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

NW	SW	SE	NE

Mound of _____ is located *on a hill*

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species *oak* _____

Diameter *6 in* _____

Bearing *S 69° E* *S 40° E* _____

Distance *20 feet* *130 feet* _____

Do you believe this to be a genuine Land Office Corner? _____

If not, why? _____

W. J. Cummings
Signature.
Lange
Title.

Date. _____ Title. _____ 8-3027

Reverse side of this 'Form 874-9' is blank