

640200

108

Minnesota National Forest

Township 45 Range 27 Meridian

Corner 4 corner between secs 25 & 36

Corner Description Jack pine stake four feet high

Corner Markings Marked 4 sec.

Witnesses Sec 25 Jack pine witness 8 in.
" 36 " " " 6 in.

JAN 9 1924

General Location Low heavy jack pine

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any.)

William K. Wright
Forest Ranger

640200

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 195 R. 27 5th Mer.

25 1/4 Corner common to Sections

25, 36, _____, and _____

DESCRIPTION OF CORNER

Corner consists of a Nothing left

Dimension above ground _____ inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? 6

If not, why? _____

H. P. Johnson

Signature.

9-18

Date.

Collector

Title.

T. 145 R. 27W Mer.

8-3027

(Make sketch of topography near Corner.)

Sec.		Sec.	
Sec.		Sec.	

Metal Location Poster is on a _____
tree _____ inches diameter, on the _____
side of _____
from which this Corner bears _____
_____ chains distant.

Give any further facts which will aid in finding this
Corner again.

