

700500

37

Minnesota National Forest

Township 145 Range 26 Meridian

Corner See corner

Corner Description 7 and 18 T 145-26
12" 19 " 27

Corner Markings no corner

Witnesses Three jack pine set in thick
jack pine of good size

General Location Set on edge of old cuttings

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any.)

JAN - 9 1924

checked 1/25
H.H.

M. Cummings
Forest Asst. Forest Ranger

700500

145-27

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 145 N R. 26 W 5th Mer.

section

Corner common to Sections

7, 18, 12, and 13



Corner consists of a Squared Tree (not) in place
State condition Down & Rotten

Dimensions above ground _____ inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species	<u>J. Stub</u>	<u>J. Stub</u>	_____	_____
Diameter	<u>10</u>	<u>17</u>	_____	_____
Bearing	<u>S. W.</u>	<u>N. W.</u>	_____	_____
Distance	_____	_____	_____	_____

Do you believe this to be a genuine Land Office Corner? yes
If not, why? _____

Edward Inersen
Signature.

9-16-29
Date.

Est 1129 F 01
Title.

