

436200

Number.....

Chippewa
.....National Forest

CORNER. Meander cor. common to.....T. 147....., R. 27.....W. 5th.P. Mer.
sections 27 and 34

CORNER DESCRIPTION AND MARKINGS

Iron pipe in place. Brass cap, properly scribed. 8" above ground.

WITNESSES

T 147 N
R 27 W
S 27

T 147 N R 27W
S 34

MCBT
Basswood
Diam. 6"
Bearing N 80 W Mag
Distance 30 ft

MCBT
Basswood
Diam. 5"
Bearing S 35 W Mag.
Distance About 50 ft

GENERAL LOCATION

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any).

.....C. B. STOTT.....
Forest.....Chippewa.....
Date Found.....7/25/29.....

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

436200

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5p Mer.

Meander Corner common to Sections

27, and 34

Corner consists of a iron pipe (not) in place

State condition brass cap, properly secured

Dimensions above ground 8 inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T147N
R27W
S27

T147N
R27W
S34

--

--

MCBT

MCBT

--

--

Species Basswood Basswood

Diameter 6" 5"

Bearing N80W Mag S35W Mag

Distance 30ft (about) 50' (about)

Do you believe this to be a genuine Land Office Corner? yes

If not, why? _____

CRB Stitt

Signature.

Forest Ranger

7-25-29

Date.

Title.

T. 147N


R. 27W

5 p

Mer.

8-3027

(Make sketch of topography near Corner.)



Metal Location Poster is on a none tree _____ inches diameter, on the _____ side of _____ from which this Corner bears _____ chains distant.

Give any further facts which will aid in finding this Corner again.

Sketch conclusive Hedwa Island to E.