

163.

163



No. 1203

U.S. Notes.

T. 138 R 25.

The point for the cor to sec 35 & 36 on the south line of the town being in the lake I begin at the M.C. on the said town line on the west side of the lake and thence in said M.C. is 381 lks W of true line point for cor in sec 35 along the Bank of lake N 3.62 N 65 1/4 E 4.18 to a point in line bet sec 35 & 36 where I set Meander post. aspen 5 N 40 W 25.

Then 5 N 65 E 11.

3.57 The Meander post just set is 5.37 chs North of true point for the cor to sec 35 & 36 I now continue the meanders of the lake as follows in sec 36 N 46 E 1.24 - N 64, N 69 1/2 W .97 to a point in line bet sec 35 & 36 I set M.C. aspen 10 S 55 E 71 links

12565 W .39
said post being 7.15 chs N of true point for the cor to sec 35 & 36 I now continue Meanders of lake as follows in sec 35 N 50 W 8.88 - N 27 W 3.35 - N 3.40 - N 28 3/4 E 6.00 - N 55 3/4 E 6.11 to a point in line bet sec 35 & 36 where

27.61 I set M.C. aspen 3 N 15 E 40
.. 4 N 75 W 30

Dist said post being 27.61 chs North of true point for the cor to sec 35 & 36 I now continue N bet sec 35 & 36 36 & 36 creek 6 lks wide runs N.W. 40.00 chs cor. aspen 7 E 8 N 85 W 7 8000 chs cor to sec cor. 2526.35 & 36.

Then 4 N 50 E 19.

" 3 S 74 E 61 22

" 5 S 32 W 51

" 3 N 61 W 41.

" E bet 25 & 36.

10.06

80.00 Cor to sec 25, 26 35836 Var. 10°30'E.

Tam 4N50E19

" 3S 74E22

" 5S 32W 51

" 3N 61W 41

80.00 Cor to sec 23, 24, 25, 26 Var 10°30'E

Tam 5S19E19, Tam 4S55W4

" 5N26W27 " 3N16E12.

80.00

1, 3, 14, 23 & 24 Var. 10°30'E

Tam 3N56E10 Tam 4S68½W24

" 2N40½W25 " 2S61E33

80.00 11, 12, 13, 14 Var 10°30'E

Tam 5S33W19, Tam 3S30°E20

" 3N36E9, " 2N28W16.

80.00. 1, 2, 11, 12. Var 10°30'E

Pine 7N13W9, Pine 8N17E20

W.B. Birch. 8S34E20, Fir 11S80W8

80.00 26, 27, 34 & 35 Var 11°E.

W. Birch. 10N88½E11, Birch. 3N49½W53

W. Maple. 3S69W52 W Maple. 5S2½E70.

80.00 22, 23, 26, 27. Var 11°E.

W.B. 7S43W9, W.B. 6N76W10

" 7S33E18, W Maple. 8N26½E31.

80.00 14, 15, 22, 23. Var 11°E.

Tam 9S27½E12 Fir 5S56½W27

" 6N83½W29 Aspen 3N67E47

80.00 10, 11, 14, 15 Var. 11°E.

Tam 10N6E7, Tam 7N28W15

Pine 6S56½W11 Aspen 6S40W27

80.00 23, 10, 11 in Lake.

27, 28, 33 & 34 Var 10°45'E.

Tam 8N15E42, Tam 7N46W48

" 7S45E38 " 9S40W26.

21, 22, 27, 28, in Lake.

BO. 1 1516.21822 Y.P. 7 N 25 E 16

Y.P. 7 N 57 W 21, Y.P. 5 S 55 W 13, Y.P. 8 S 44 W 12.
BO 9, 10, 15, 16. 10 45 E, aspen 6 N 38 E 21, aspen 10 N 72 W 45
w Birch 3 S 45 E 27. Spruce 10 S 55 W 46

April 20, 1931

27, 28, 33 & 34 44-0730

Blm 12 N $43^{\circ}30'W$ 67.05

J.P. Str 13 N $70^{\circ}30'W$ 101.6

Blm PH S $50^{\circ}W$ 4/4, 35

80 V

405

April 20 1921

or ~~3-4-33-24~~ T. 43-44-R 30

T. Pole. 3-N 14° E 1418.0

Famrat. 4-N 47° W 3816

I.M. 1 X 10° S 89° W 482

T. Pole 6 S 20° E 67.8

$\frac{3}{4}$ X 11" I. M. & Road N & S.

Line of fence running W

30 ft E of fence cor.
80 ft

279

April 21, 1921

$\frac{1}{4}$ lot 1 & 6 44-38-31

Stone 36 S 11° W 96.5'

Oak 3 S 28° E 58.2'

$\frac{3}{4}$ X 10" / M & Road N + S

line fence running W
and also E

8° / $30'$ V

295'

April 21, 1921

$\frac{1}{4}$ Sect 7 & 12 44-30-31

T. pole $85^{\circ} 30' W$ 67.2

1 X 10 IM. $S 17^{\circ} E$ 63.

$\frac{3}{4}$ X 10" IM.

E Road N & S. E D. Running W
 $8^{\circ} 30' J$

265

April 20, 1951

4 feet 16 ft 7, -44-30

stone 30° S 20° W 79.7

stone 24° S 19° E 57.2

$\frac{3}{4}$ x 10" I M. & Road

N + S.

line of fence running W

80° V

264

we

April 20, 1921

1/4 bet 889 - 44-30

Stone 24°N 22°W 88'
post 6°N 29°E 59.8

3/4 x 10" I.M. & Road N & S
in line fence running W
150 ft N of fence running E
8° ✓

264

April 20, 1921

$\frac{1}{4}$ sec N 85° — 114-30

Stone 20 N 30° E 40.0

July 2 N 32° W 51.9

$\frac{3}{4}$ X 10" Φ Road N + S

in line fence running E

8° V

278

April 20, 1921
 1/4 sec. 32-33 T 45-30

Cab on N 23° E 49.8
 T. Pol. 8 S 23° W 59.9

3/4 X 10" T. M. E Road N 8
 One fence running W.

80V

277

April 21, 1921

$\frac{1}{4}$ bet 13+18 T44-30-31

post 5 N 70° E 36.0

T. P. 6.8 N 25° W 72.8

we find a 3" iron pipe

33 ft west of fence running E

68 ft bet fences

4 ft west of road NTS

35 ft E of fence running W

8° V

265

April 21, 1921

$\frac{1}{4}$ lot - 19824

44-30-31

Stone 24N 11°E 8215

Topole 10"N 46W 47.7

(N+S)

2 Road, 33 ft East of fence
Running W.

This cor Crooks E.

$\frac{3}{4}$ X 10" I M

8° V

265

April 21, 1921

4-25-30 T44/R30-31

Stone 24" S 16° W 94.3

Baking head 8 S 89° E 37.7

3/4 X 10" I M, 3 1/2 East of fence
running W.

E Road N of S

8° V

265

April 21, 1921

($\frac{1}{4}$ - 31 & 36 44-30-31)
temp.

F. Ab.

Point. 6 S 60° W 28

Stone 20' S 28° E 50.0

$\frac{3}{4}$ X 10" I M. E Road N + S
In line of Plow furrow running W

8V

265

April 21, 1921

14186

T 43-30-31

stone 24°S 17°W 101.3

stone 20°S 17°E 79.2

$\frac{3}{4}$ X 10" I. M.

31 ft East of fence

Running W

2 Road N & S

8°W

266

April 21/1921

$\frac{1}{4}$ pt 7-12 T 43-30-31

area cor.

Stone 12 N 30° E 29.3

T. Pole 8 N 36° W 60.3

$\frac{3}{4}$ x 10' IM. & Road N to S

In line cemetery fence running
W 80°

265

April 21, 1921
1/4 Oct 13-18 T 48-30-31

Stp 10 N 50 W 51.6

10.5 N 23° E 43.7

3/4 X 10" I. M. Road NTS
30 ft W of fence running E

266

April 21/1921

1/4 19-24 43-38-31

Stone 20'S 71° W 32.8

Stone 24'S 13° E 81.4

$\frac{3}{4}$ X 10' I.M

Q Road N & S

in line of fence running W
E.V

5 paces N of fence running E

266

April 21/1921

44. 25-30 43-30-31

Tem. Cor.

Stone 20" N 77° E 105.1

Stone 36 N 17° W 108.8

3 1/4 X 1 1/2" T.M. & Road N & S

50 paces N of road E & W

80 V.

266

23

April 21, 1921

41 Mt. 31-36

43-30-31

Mp. 12" N 83° E 35.4

post 6 S 52° W 45.4

$\frac{3}{4}$ XI SIM. 2 Rod NTS

line from Et w

8° ✓

266

April 21, 1921

Cor to 2 (1-6) - 31-36 TH243 30-31
UUT

Morrison Co Line Twp Cor

Oak 4 N 28° E 72.6

Stone 24 N 28° W 67.6

N.P. 12 S 53° W 73.2

Oak 6 S 70° E 50.8

8'x8" Grantt TWP MON

80V

402

April 21, 1921

$\frac{1}{4}$ bet 258 34

43-31

Stone 24°S 12°E 48.5

Stp, 12°N 72°W 46.0

$\frac{3}{4}$ x 10" I M. & Road E + W

80V

279

April 21, 1921

4 26-35 43-31

Ternop 2

Oak 5 N 48° E 32.7

Oak 6 S 38° W 26.3.

3/4 X 10" I.M. @ Road E & W

30 paces west of Road

running S & W

20 paces E of New Shack

N.

279

80V

27

April 21, 1921

1/4

43-31

Temp

April 21, 1921

~~2-3~~ 34-35 42-43 31.
out Monism & Lins

post 6 N 20° E 50.9

Brick 8 N 56° W 42.8

$\frac{1}{2}$ X 10" I. M. drove in
3" Hub.

288

29

April 21, 1921

W, Mt 25836 - 43-31

2" State temp cor.

part 3.36 8°E 314 8°V

Bar opt 6 N 46°W , 75.9

8°V

288

April 31, 1921

$\frac{1}{4}$ bet. 28 & 24 43-31

Post 6 S 29 W 50

Stone 24 S 10° E 86.3

$\frac{3}{4}$ X 10" I.M.

Q Road N & S

Line fence - E and also W

8° V

279

April 21, 1924

$\frac{1}{4}$ sec - 14823

43-31

Stone 10 N 72° E 33.0

Post 6 S 51° E 49.0

$\frac{3}{4}$ x 10" I M Q Road E & W

80 y

267

April 21, 1921

1/4 15822

43-31

J.P. 8N 72° E 46.8

P.P. 6 S 50° E 48.8

3/4 X 10" I.M. & Road E + W
Line of fence running S

8' ✓

267

33.

April 31, 1921

1/4 9-16

43-31

Oak 3 N 28° W 34.

Oak 4 S 50° W 24.9

3/4 X 10" I M. & Road N & S.

South end of cut

Old fence running W.

8° V.

280

April 21, 1921

1/4 bet 3 & 10 + 43 - 31

Stone 20 N 69° W 52.0 ✓

Stone 19 S 80° W 62.2

3/4 X 10" I.M. @ Road E + W

Int line with fence running N
80°

280

April 21, 1921

1/4 sec 283

43 - 31

Stone 20 S 41° W 26.5

Stone 30 S 50° E 30.7

$\frac{3}{4}$ x 10" T.M. East side of Road NTS.

In line with fence running W

75 ft S of fence running E

8' V

267

April 21, 1921

$\frac{1}{4}$ det. ³⁴33 & 35

44-31

Tall stump 12 S 26° W 56.2

J. R. 4 S 25° E 53.1

$\frac{3}{4}$ x 10" I. M. Road N & S
Road swings W.
8° V

267

April 21, 1921

with 1/4 sec - 26 & 27 44 - 31.

T. P. 85 38° W 42.8

Stone 30 N 88° E 35.8

3/4 X 10" I. M. 3 Roads. N-S & W.

300 ft 3/4 sec. gony E + 1/4 sec
80 V

267.

April 21, 1921

14815

44-31

Spt 12 N, 78° E 15.6

Tide 6 S 57° W 34.2

3, X 10" I.M. & Road
N & S

150 ft N of creek in road
 8° V

267

April 21, 1921

1/4 20 + 21

44-31

Dum. 28 24° W 38.3

Dum. 5 S 29° E 71.4

3/4 X 16" T. M. & Road N of S

3 ft N of Center of Bridge.

Bridge over ditch E of SW.

8° V

281

April 26/1921

Set 28, 29 - 44 - 31

3/4 x 10" IM

post 5N 22° E 54/10

Top 6.6 S 37° W 41/0

Q Road. N & S

In line with fence &
also W.

801

268

April 21, 1921

4 set 32-33 - 44-31

pop. 16 N 30° E 36.3

pop. 25 58° W 14.3

Q Road. N & S.

foot of hill.

N edge of old plowed field

Runs E 200 ft

8°

269

April 21, 1921

$\frac{1}{4}$ sec. 27 & 32

44-31

1X10" I M N 87° E 40.0

1X10" I M. S. 79° E 39.0

$\frac{3}{4}$ X 10" I M. $\frac{1}{2}$ Road E & W

East Edge of Culvert.

80 V

281

43

April 21, 1921

4/ 30-31

44-31

Oak 6 N 43° W 38.5

Oak 5 S 39° W 18.2

3/4 X 10" I. M. C Road - E & N.
80V

281

April 21, 1921

146 — 43 31832

T. Pol. 6 N 90° E 98.8

Sp. 8 N 73° W 59.7

$\frac{3}{4}$ X 10" L.M. - E Road N + S
Line with fence running E

80 V.

269

45

April 21, 1921

H 12

43-31832

swp. 2 N 68° E 17.3

rest 6 S 58° W 35.8

No. Iron.

E Road N & S.

fence E & also W

800

269

April 21, 1921
1/2 sec 13 - 18' 43-81432

SP. 5N 45°E 25.5
top 10N 50°W 38.4

3/4 X 10" I. M. & Road
fence running E.

8° V.

269

47

April 21 1931

14 Set 129-24 43-31+32

N. Stamp 10 N 89° W 14.6

T. P. 6 S 24° E 61.0

800

3/4 X 10" FM.

269

April 21, 1921

25830

43-31832

Tan Slp 10 N 88° E 20

Slp 8 S 70° W 11.

$\frac{3}{4}$ X 10" I. M. E Road N & S

100 ft. Main Bog.

8° V.

269

April 21, 1921

44-31+36

43-31+32

post 4 N 48° E 45.3

post 5 N 78° W 31.0

Q Road N + S

Line with the fence running W

8° J

269

Apr 21-1921

N. $\frac{1}{6}$ but-31636 44-31432

Q. 3364°E 27.5
elm.

Q. 10578°W 22.8

$\frac{3}{4} \times 10''$ \pm Road N & S

33 ft East of fence running

W. 801

268

April 21, 1921

4, set 25830 44-31-32

Oak 6 S 28° W ~~257~~ 257

Oak 7 N 88° E 22.2

4 No Road near SE corner school gds
 $\frac{3}{4} \times 10$ in. 80

JWC JPB. H.M.C.
 Baby Grande
 Compass survey

268

Aug 7-1921
Sunday

382

25-26-35-36-45-29

4x4 old post

Jos C Ponton show me 4x4
x 40" strike front back of original
under E & W fence in main
camp. I take new BTS vs

10 Tom stp N48°E 34.00 ft

Tam 5 N 44°W 55.00

3 S 15°W 23.25

9 S 82°E 64.00

to flat spot at base Goulded spots
them

J.C. Ponton is Town Clerk Nahay
Lake Twp

Says M.W. Weckham who
lives in sec 25 same Twp
knows a lot about corners

Fred Boock Trustee

Adolph Johnson "

Sam Thompson Ch. Sec

1/2 mile So of 6 1/2 mile cr
on oak st

Aug 8 - 1921

N 39° W 25-30-31-36 T 45 17 28-29

10" Min N 50° E 32.2

F Post 15 N 39° W 33.7

P Post 6 S 56° W 45.1

Cash 4 S 1° E 43.7

1 ————— S 56° W

3/4 X 10" I 14 in line with

line running, so

Alumina - Red - Gravel
and J.W. Curo.

292

Aug 6-1941 p. 30

1/4 Bat 29-32-45.28

N 20° E 8" Tel pole 35.0

S 30° E Fence post 40.2

Cross in ~~end~~ cement culvert.

Small Hut in 6" sand on
top of culvert 29.2 // long rivet
ends top side Ditch 400
fenced both sides 2. fence E only way
Square Hut in 6" of sand on top of cement

292

aug 7-1941

55

1/4 cn 28-33-45-28

N 33° W 4" oak 42.5

S 30° E 4" Fp. 1 36.8

Q E & W covered in line with
narrow road running south
3/4 x 10" I H

292

Aug 6-1921

1/4 bet 27-34-45-28

N 48° E 10" Sluif 27.8 3 X. 2

S 38° E 8 X 20" Sluif 27.8

3/4 X 10" I m & E & W road
in line with State road
running to and w

292

aug 6-1921

57

West 1/4 Sec 26-35-45-28

8" Pop N 12° E 43

7" Pop S 71° W 101.6

3/4 X 10" Iron in swamp 1 end so of
shot in line with narrow wall
leading north 1 Rod W of fence

"
1 Rod N of old line of fence posts
running E & W no wire

382

Aug 7 - 1961

MC on E bank of lake.

Batman 26-35 45-28

Buck 4N 46°E 69.00

WPBS 25°W 84

3/4 X 10" I m 25 ft S of EXW

pen

292.

59

Aug 7 - 1921

27-28-32-34- 45-28

6" Post N 61 E 28.

12" stone

Stone N 75 W 72.0

12" Oak S 60 W 62.4

Op 7 S 30° E 43.5

3' x 10' on fill in line with ditch
running N and fence S.

382

7/10/21

1/4 sec 28+29 -46-29

N 41 56 W 27.

Calc 7S 51E 32?

About 125 ft S w of school house
E Road N 48

Line fence running East also West -

O.K. 7

335

7/10/21

28-29-32-33 46-29.

Stone 24 N 20 E 411.5⁻ maybe O.B.T.
W Pine 30 N 69 W 55.5⁻ Scribed.N Pine 15 S 70 W 81.5⁻Stone 24 X 40 S 12 E 105.5⁻

L N & S Road.

Center small bog East side of road

3/4 X 10" I M

382

7/10/21

27-28-33-34-46-29

find old fence So of RR road
So from which I chain
North across Adams wagon road
pool to N. $\frac{3}{4}$ S. 45° E. 100 yds. boy
net $3\frac{1}{4} \times 10$ I m in boy

Pap 6 N 17° E 207.8

10 N 10° W 259.0

2" stake S 45° W 45.

12" up to edge of road S $17^\circ 30'$ E 338.2

spot at bottom of rock

located and I white. I also

fixes cor

293

7/10/21

 $\frac{1}{4}$ bet 23 & 26, 46-29

Oak 5N 64E 38.4

O.B.T. Swamp S 73 W 61.7

NW cor Main building S 43 E 24.2

Road runs S 45° E

East wheel of N & S Road.

395

7/10-21

1/4 15-22 46-29

Pop 18 N 36 E 40.5

N.R 12 S 72 E 46.5

E Road N S E

1. Road N of Cem. fence.

2 fences run west.

In Line with N fence

Wim Road runs E

291

7/10-21

65

14-15-22-23 — 46-29.

Oak 6 N 62 E 24.1

Pine stump 10 N 68 W 25.7

EPost 45 41 W 19.4

1x10" IM S 45 E 44.

15.5- North of crooked fence running
South & W.

10 ft South of crooked Road running
East & West

305

7/10-21

$\frac{1}{4}$ bet 14-23 - 46-29

N.P. 7 N 62 W 38.0

Pop. 8 S 21 W 33.6

$\frac{3}{4}$ X 10" I M. V. 8° 30'

2 Road E & W. Old.

291

7/10-21

67

13-14-23-24

46-29

Stump 8 N 10° E 14.5-

Burk 7 N 46 W 33.5-

Stone 10 S 50 W 18.3

Post 4 S 28 E 6.9

6 ft west of fence running S.
7 steps E of fence running N.
Line 3 ft. ditch running South.

3/4 40° Im 8030' W

335-

7/10/21

137

1/4 Sec 14 - 24 46 - 29

P O Letwood

Oak 6 N 30 E 30.5

Post 45 67 W 34.8

3/4 x 10" Iron 18-20

305

E of W 2 Road.

6 ft. west of fence. Remains N.

Nickel Jacobson shows me this
1/4 corner which is his & E Cor says that
he had an iron in that in line with his
fence running south but when
the cemetery was plotted a short time

ago they must have put it about 6 ft

East on the new fence corner from the
north corner out 6 ft E of fence

He tried to dig this corner up for the wood
box this spring but it was gone

He goes home and we set a 3/4 x 10"
I was for doing 1/4 Cor using Jacobson's fence
to line in with. Jacobson does not care
where it goes. Eat lunch at
Jacobson's.

Yas Euro

7/10-21

69

13-18-19-24 (46-28-29

Guest Olson shows us this - his N E
cr - once set by Watson a surveyor who
put in 10" gas pipe - may be graded
out now.

Set in line with E road with
Fence going N is too far east. etc.

Basswood 14 N 63 E 18 ^{also} O.B.T. P

Frost 4 N 50 W 25.3

Oak 12 S 70 W 23.3

Basswood 24 S 66 E 35.7 ^{also} B.T. P
16.5 so far E & W from

P.O. Deerwood.

W onto Road Chg on Line

291

7/10/21

26-27, 34-35-47-28

Cak 6 N 23 E 77.3 ✓

Stone 20 N 64 W 36.4 ✓

Stone 14 S 53 W 46.3 ✓

Post 8 S 42 E 25.4 ✓

3/4 X 10" I.M.

£ 4 Roads N.S.E.W

in west wheel track of Road

33 south & 33 ft East of fence

Running N & W

411

7/10/21

71

25-26-35-36 47-28

T. Pole. 10 N 50 E 31.3

F. Cr. 10 N 47 W 41.7

Oak 10 S 39 W 34.1 ~~Old B. T. P.~~

Stone 30 S 71 E 60.10

4 Roads N.S.E.W.

33 ft N of fence running west -

61. - 33 = 28

²⁸
28 ft south of fence running west -

304

7/16/21

1/4 25-36

47-28.

T Pole. 8 N 68 W 67.6

1 X 10" I.M. S 77 E 56.2

Pop. 15 hrs N. 18 30 W about 75 ft -
not blazed.

2 E & W Road

3/4 X 10" I.M.

33°

7/10/21

73

Co Line

394

25-30-31-36.

47-27-28

T. Pole 10 N 46 W 29.3

Pop. 3 S 33 W 47.7

4 Roads N 8 E W.

13 Poles W of fence running N.

17 ft S of fence running E.

7/10/21

1-2-35.36

46-47.28

Stone 24 N 61 E 43.4

Corr post

Fence 10° N 55 E 34.2

Stone 10 N 15 W 39.3

F Post 6 S 32 W 54.0

Tam Corr post 8° S 32 E 27.5

18" N of new fence running W

18" S of 2 9.5 E of my old fence

Post

E Road N.S. + E.

3/4 X 10" IM

290

7/18/21

75

1/4 11-12

46-28

1/8 30'E

Oak 10 N 53 E 19.1

Oak stub 12 S 73 W 39.7

Line fence running E.
to Road N & S.

305

7/10/21

11-12-13-14-46-28

Oak 12 N 46 E 9.10 ^{alt B.T. ?} grown up

" 13 N 72 W 16.3 "

" 20 S 53 W 24.8 "

" 10 S 79 E 20.4 new

3/4 x 10" in S side cup part of
4 feet N-S-E-W.

no rods near

335

X

7/10/21

77

near 1/4 section 11? Nix

Bass wood 8N 24E 19.3

Pop 18S 24W 9.8

3/4 x 10" I m SE side 4" oak post
erect & fern E-S-N.
no roots

7/10/21

22-23-26-27 - 47-28

Post 6 N10°E 31.6

Post 8 N15W 33.1

or Post 9 S33W 39.0

Post 4. S 45E 40.3

E Road S.W.E.

33 ft N of fence going W

E Road going S.

South side of Road going E (W)

33°

7/10/21

79

1/4. 23-26 — 47-28

Stone 20. N 41. W 35.6

Pop 48 32 W 27.8

£ Road E & W

Line with fence N also S.

393

7/10+21

23-24-25-26-47-28

Willow 4 N 40 E 65

M Box 6 N 78 W 48.3

S Board 5 S 51 W 29.2

F.P.M. 5 S 18 E 64.4

(3/4 x 10" I.M.)

E Road N S & W

312

7/10/21

81.

1/4 23-24 - 47-28

Broke over JP sum - 12 S 34 W 43.1

down

Pop 10 S 63 E 45.3

Q Road W + S. also Crooked East-

289

7/10-21

13-14-23-24

47-28

1X10" I M N45°E45°

1X10" I M N45°W45°

1X10" I M S45°W45°

1X10" I M S45°E45°

E Road N & S

New Road Runs E

School house for about NE. 200ft.

304

7/11/21

87

11-12-13-14. 47-28

M Box 6 N 68 E 23.3 ✓

T Po 6 7N 40 E 36.6

I M. 1X10" A 145 W 45 ✓

Stone 10" 16 31 W 41.8

11 TM " " S 45 W 45 ✓

P op 4 S 65° E 71.3 ✓

LOT and S N & E.

3/4 X 10" I M.

Note this stone was evidently

Original Cor. and got moved

4.8 N.W.

290

7/11/21

1/4 bet 13-14 47-28

8° 30' ✓

Cut stob

~~Strip~~ 15 N 23° 15' W 12 h 7

1 x 10" I.M. N 45° E 45

11 12 N 45° W 45

9.20 d 20 of crooked dim Hogwood leading Sd

E Road N & S.

289

7/11/21

85

1/4 lot 13-24- 47-28

Post 7 N 27 E 29.6

1 X 10 I M S 45 W 43

2 1/4 X 10 " I M "

2 Road E & W

Line fence 28. N running ^{N. also E} E & W

This total mile is half a length
of a mile short E & W by our system
The West half O.K. and E half short
but as the guy who owns the SE ~~1/4~~
has purchased it he should not
kick.

411

7/11/21

394

Co Line. Cor 1.13.24 East side

T 47-28. SE $\frac{1}{4}$ has been fenced
new fence. East half mile seems to be
half a timber 1/4 mile short by over 1/2 mile

Fence cor P. 7 N 51 W ^(39.9?) 39.9

TPole. 6 S 53 W 33.9

set $3\frac{1}{4} \times 10$ " Im. & 4 rods
N-S-E-W.

C. Line

$\frac{1}{4}$ E. side 13-48-28

on line with ~~the~~ fence E. side

T. Pole 8 N $10^{\circ}30'W$ 141.0

T. Pole 9 S 37° W 49.5

7/11/21

Co Line

Esch 12-12-47-28

no line to rt I m. C Needs 4.

TPole 8N 50W 40.0

Munro pop 48 42 W. 45.8 ^{alt BT?}

Six big chickens

330

7/11/21

89

1/4 bet 12-13-47-28

3/4 X 10" I m & E of Road
Pop. 4 N 84 E 86.10

1 X 10" I M. S 45 W 45

Note: E half unit seems to be a drift sheet?

312

7/11/21

✓ 8030'

Alfred Fellerman son of
Henry Feller Tel 130-16. aithm

1/4 sec 11812 47-28

Pop. H N 46 30' E 43.6

Pop 2 N 47 W 30.5

Q Road N-S

Q fence E

289

7/11/21

91

1830

N $\frac{1}{2}$ 11812

47-28

10 9 N 51 W 29.8

10 S 82 E 24.3

2 Roads N-S-W

$\frac{3}{4}$ X 10" I.M.

Just south of fence.

411

7/11/21

1-2-11-12

47-28

We find 12" stone @ in top.

Pop 12 N 24 E 30

Pop 11 N 21 W 50.8

Pop. 10 S 46 W 75.8

Pop 5 S 17 E 21.0

ℓ Road N & S.

304

7/11/29

93

80°30' ✓

M.C. 1-2.

47-28

Oak 4S 30° W 10.9

Oak 3S 55° E 15.8

289

$\frac{3}{4}$ X 10" I.M.

15 ft about from fence running
South

7/11/21

1/4 2-11 — 47-28

Pop. 12 N 20 W 39.5
Stumps 6 S 28 W 45.3

2 Road S also W

330

7/11/21

95

2310-11. 47-28

Boxwood 10W 69 E 18.6

Elm 4 N 40° W 12.2

Elm 5 S 58 W 5.5

Head Elm 20 S 14° E 14.3

3/4 X 10" I.M. in 10" prop stump
Intersection of old fences.

312

7/11/21

9-10-15-16

47-28

5-35'

stone 10x12" with \otimes in top -

3" slate N 45° E 45'

stone 30 N 81° 30' W 53.6

stone 34 S 71° 45' W 41.5

2 1/2" slate S 45° E 45'

William Tholen son of Herman Tholen
shows us this cor.

Q old N + S grade.

N 8° 30' E

289

Currot Bab.

7/11/21

97

1/4 25-26 - 47-28

Pol. 7N 630'W 97.7

Unap. 6 S 85° E 30

Road Run N 5° E

3/4 X 10" I.M. N. edge of 16" L. Gelvort

In line fence E also W

to N & S Road-

289

7/11/21

1/4 lot 35-36 - 47-28

Old line Post 12 N 72 E 21.3 to tack

Post 8 N 54 W 31.0

3/4 X 10' D M. Line fence W

E Road. Crooked Nt S

423

7/11/21

99

1/4 27-34

47-28

N 80° 30' E

Pop. 8 N 35° W 45° 30' W 40.7

T. Pop. 10 S 65° 30' W 41.8

3/4 X 10° E W

Line fences running N. Road South
South Wheel Track of E & W Road

290

7/11/21

27-28-33-34

47-28

P. 7 N 43 E 46.8

Oak 8 N 55 W 46.5

T. 7 S 47 W 21.7

Stump 24 S 17° E 21.9 - Old B.T.?

$3/4 \times 10^5$ III

£ Road B N E W.

Wim Road South-

V 8° E

393

7/1/21

101

Rabbit the Turf

1/4 27-28

47-28

Tana 10 N 83 E 24.7. Old B.T.

Tana 10 S 85 W 22.4

3/4 X 10" Iron 20 ft So. new narrow
road leading W.

E N to road

↳ Road N & S

↳ fence Runs E

Del. line runs W

7/11/21

21-22-27-28-47-28

Bench $2\frac{1}{2}$ N 35 E 50.6

W.P. 14 N 37 W 94.0

or Post 5 S 43 W 33.6

or Post 6.8 43 E 37.2

~~E Road~~ E + W S

303

7/11/21

103

22-27

47-28

W.P. 7N, 12 W 51.0

Pop 68 35 W 37.0

3/4 x 10" FM

312

± Road E W

± fine Priming South

V 8° 38' E

7/1/21

1/4 20-21-

47-28

Stone 50 N 80 W 37.5'

Barick 8 S 75 E 42.2

Q 3 Roads N-S-W.

3/4x10" Fm

330

curr

7/11/21

105

16-17-20-21

47-28

8°30'

312

FP at 6-N 27 E 41.6

Pop. 4 N 20 W 38.5

Pop. 3 S 32 W 30.5

Pop 2½ S 12 E 35

Spike in Center of Bridge over
E + W Catch
@ Road N & S.

7/11/21

1/4 bet 16-17

47-28

Poplute 8N/35E 34.1

Elm 9S47W 37.3

E N+S Road

E fence W.

304

7/11/21

107

1/4 19-20- 47-28

Cake Hump 15 N 21 E 30.1

Pop 6 N 53 W 46

S shoulder of Grade

& fence N

50 ft N of Rail Road.

School 1/2 Log 1/2 Board.

303

7/11/21

20-21-28-29

47-28

Stone 14 N 70 E 17.5

Post 6 N 21 W 40

Elm 4 S 40 W 30

Elm 12 S 38 E 24.7 Old New BT.

scribed Road runs N+S but magnetic
attraction so bad road runs
N 20 E and S 20 W Fence heads N 73 W

£ Fence W

45 of £ fence E

Another old fence runs SW 10 ft
South -

£ Road N-S

3/4 X 10" IM Temp Cn

290

7/11/21

109

M.C. 20-29

47-28

MC E bank Rabbit Lake

Between
set 8" stone on top of sec wall
under E & W wire fence evidently
a new runney which is 10. ft N of
an old line of fence posts running E & W
new old B.T.S. scribed stampl very

6" oak N $57^{\circ}E$ 59.2

8" oak S $56^{\circ}30'E$ 71.3

old fence seems to run $S85^{\circ}E$
on this end of the line

Magnetic attraction fierce!

Compass set @ 7°

393