

132-11

RESTORATION OF CORNERS

601

RESTORATION OF CORNERS


601


5884

2-93. new

26084

5884





Restoration of corner monument to
Sects. 15, 14, 22, and 23 T139 N R37 W
5 P.M.

Went directly to above described
corner arriving there at 9 A.M.
I checked distances to bearing
tree stumps from temporary stake
that had been located at intersection
of sections using bearing tree stumps
as centers, and found that stake
had been properly located with
respect to the distances as given
by the original surveyor in the
field notes of which I had a
copy at hand. His notes ready
hand. Set post & collar to 5000.

22-23-14 415.

E. pipe 6 N 57 E .42

S. pipe 14 N 53 W .43

W. pipe 28 N 15 E .86

Aspen 5 10 W .93

Converting links to feet.

.42 = 27.72 ft.

.43 = 28.38 ft.

.86 = 56.96 ft.

Weather: Cool, O'cast
occasional drizzling
rain.

Oct. 4, 1937
Harold C. Nielsen
Arthur J. Stronstad

Stronstad and I then removed temporary stake and dug carefully to a point three feet below the ground surface for a radius of one and one-half feet around location of temporary stake. We found evidence of discoloration below point to which temporary stake had been driven, but this may have been result of the placing of the temporary stake.

We then placed 54" iron pipe, 1½ inches in diameter with ½ inch by 2 inch anchor rod through pipe at 3 inches above the bottom, around this we piled and tamped rock and soil heavily, leaving 2 ft. of pipe above ground. Pipe has cap with 2 ¼ inch face stamped

T 139

15/19

22/23

R 27

from which we again measured the distances to the bearing face stumps and found:

W. pine stump - approx 12 inches

N 32 $\frac{1}{2}$ ° E - 27.72 feet to center of depression left which shows became upright end. fell to the northeast.
Scribing abutted.

Y. pine stump - 19 inches N 36 $\frac{1}{2}$ ° W -

28.38 feet - 2 feet high burned.

Scribed plainly with markings.

B.T. on side of stump showing

pipe. Upper end of letters worn out.

W. pine stump - approx. 24 inches of

old diameter remaining - S 22° E

56.76 feet. Scribing abutted and

stump buried and rotted.

We could find no trace of

Aaron burning tree as given in

the notes.

We then partially retraced old original survey to the east which

5-ac. 14123. Surveyor's notes read:

7.00 Swamp No. 5.

We checked 462 ft or 7 chains
to the east. on course

and found that this distance
described as 7 chains of swamp - willow
and ash with spruce.

Restoration of corner monument
to Secs. 1 and 12, east range
line of Town 139 N. R.R.S.W. 5 P.M.

Went directly to above described
corner arriving there at 9:45 A.M.
Found 3 inch squared post, 3 ft.
long, charred from fire, lying on
ground and rotated at earth level
with point of post in ground.
Post scribed on one face

5.12

with mast of S. burned out by fire
On opposite face I found scribed

1

with center portion of tall figure
missing, from which at point
in ground-

A white pine stump, 10 ft. high
fire charred and 2 ft. across
bears $530\frac{1}{2}^{\circ}$ W., 204 ft. to face
scribed B.T. with blaze showing
evidence of having been blazed
before tree died as result of
being cut during 1977-78 days
No evidence of Aspens 14 ft. N.E. 16 ft. S.

Weather:

Warm, clear

Keyhole & Foster

Slatt Compass

100 foot steel tape

Oct. 8, 1951

Harold C. Nilson

Arthur J. Strand

Stronstad and I located the point in ground by flat measurement, then dug a hole and set on iron post, 4 $\frac{1}{2}$ ft. long, 1 $\frac{1}{2}$ ins dia, 2 $\frac{1}{2}$ ft. in the ground with $\frac{1}{2}$ in. x 12 in. anchor rod through post near bottom and piled dirt and rocks around it for the restoration monument of the corner to secs. 1 and 12, with steel cap having 2 $\frac{1}{4}$ in. face marked.

T 139

1
12

R 25

from which

A white pine stump, 2 ft. across, bears S $30\frac{1}{2}^{\circ}$ W., 20.4 ft. (31 Ks) to face of blaze scribed B.T.

A balsam, 6.4 ins dia., bears S 36° W., 40 ft. dist which I blazed and scribed

T 139 N R 25 W S 12 B.T.

No available trees to mark for
B.T. S 1

Restoration of corner monument
to 14 sec. 13 and 14 T13N R25W
3 P.M.

Arrived at above described location
at 1 P.M. Found 4 in squared
post standing in center of
a abandoned but graded road right-of-
way running north and south with
3 ft. of post above ground
partially decayed and 3 ft. of
post in ground in good state
of preservation. No scribing or
marking on post. - from which
A Norway pine (virgin growth)
12 ins. in dia., bears S 30 $\frac{1}{2}$ ° E.,
118 $\frac{1}{2}$ ft. dist. no markings
visible but tree had been
partially hacked to locate
scribing if present - inner wood
rotted.

Found no evidence of aspen. B.T.
as given in notes.

Checked distance south to
end of swamp from post
and found in agreement with

Weather: Warm, clear

Rod 100' Kestrel
Staff Compass
100 ft. steel tape

Oct 8 1937
Harold C. Nelson,
Arthur V. Strand

distance from corner as given
in notes - 93 ft. (1.4104)

Checked distance north from
post to edge of swamp and
found north edge to be 129 ft.
farther distant than reported in
field notes which was 6 ch. or 316
ft. Character of swamp was
such that line could not be
further west or swamp would not
have been entered until past the
go chain point to make distance
north to edge of swamp in
agreement with notes.

Sloanstad and I located
the position of stake in ground
by that measurement using temporary
stakes and then dug up wooden
stake and replaced by setting
An iron post, 4 $\frac{1}{2}$ ft. long, 1 $\frac{1}{2}$ in.
dia., 2 $\frac{1}{2}$ ft. in the ground with
1 $\frac{1}{2}$ in. by 12 in. anchor rod through
pipe near bottom, and filled in
dirt around it. for the
restoration monument to the
corner at 15 and 14

with stock cap having 2 1/4 in.

Loce marked

T 139

15/14

R 25

from which

A Norway pine, 12 in. dia.
bears $538\frac{1}{2}^{\circ}$ E., 118 $\frac{1}{2}$ ft.

dist.

A Norway pine, 12 in. dia.
bears 515° W., 176 ft. dist.

Restoration of corner monument
to the corner of Town 138 R 139 N
R 23 W, sec. 36 and on
3rd Range Meridian.

Found 2 m. triangular stake
standing with 3 ft. above ground
marked with scribe.

536

51

Standing 6 ins east of old
one covered at base 3 in. exposed.
Stake, rotten below ground level,
no markings discernible.

A curved tall, upright pine, dry,
bears N 34° W to steplike, 37 ft.
descent upon which was found
old blazed face turned upward
that had years ago been exposed
up to show face, peeling soil
exposed.

We located position of N stake
by compass after measurement
of angle east east 100 in long eye

Weather: Ocast, cold
snow flurries.

Kent Holm Esser

Staff Comparo
100 ft. steel tape.

Oct. 6, 1936
Harold C. Nelson
Arthur J. Stoenstad
William Edwards

4 ft H long, 2 $\frac{1}{2}$ ft. to the ground
with $\frac{1}{2}$ in. by 12 in. anchor rod
through pipe near bottom. This
not firmly set. Pipe has steel
cap with 2 $\frac{1}{2}$ in face marked

T 139

R 25 36
 |
 1

T 138

from which

A black spruce, 6 ins. dia., bears
 $555^{\circ}W$, 38 ft. dist. which I
scribed T 138 R 25 S. B.T.

A black spruce, 7 ins. dia., bears
 $N42^{\circ}W$, 34 ft. distant, which I
scribed T 139 R 25 S 36 B.T.

A tamarack, old windfall, bears
 $N34^{\circ}W$, 37 ft. dist., which shows
old face of blaze and wound scars.
Set old stakes immediately adjacent
to iron pipe.