

JOB 2001 - FAP. 142

BRAINERD

MOTLEY.

CROSS - SECTION

FIELD BOOK

380

I

126

KEUFFEL & ESSER CO.

DRAWING MATERIALS

AND

SURVEYING INSTRUMENTS.

NEW YORK.

CHICAGO. ST. LOUIS. SAN FRANCISCO. MONTREAL.

Tables for Excavations and Embankments.

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

ROADWAY 18 FEET WIDE. SIDE SLOPES 1 TO 1.

FOR SINGLE TRACK EXCAVATION.

" Copyright, 1895, by Keuffel & Esser Co."

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

FOR KEITH'S RAILROAD CURVE TABLES SEE END OF BOOK.

Construction Book.

Containing Notes of

Cross

Sections

and Similar Information.

F.A.R. 142, Job 2001.

R.E. Krueger
Engr.

AREA'S

Cubic Yds.

Remarks

EXCAVATION

Embankment

Excav.

Embank.

486 - 500 Xsections

4-6

1081 - 1089 + 30 "

7-8

752 - 777 "

8-10

753 Ditches

11

778 - 783 Xsections

12

1170 - 1136 X "

13-15

1118 - 1091 X "

16-20

1174 - 1188 X "

21-22

1180 R Ditch

22

1137 - 1145 X Sections

23

1181 Ditch

24

1146 - 1173 X Sections

25-27

1188 + 90 - 1191 X sections

27

Mosquito Creek Cut Off.

28

R Leg of "Y" to Pillager

29

Offtake Ditch 774 + 75

30

Inlet

31

L Leg of "Y" to Pillager

32

X Sec 327 - 339

33-34

" " 340 - 350

35-

Curve South at Dorseys 36

SECTION.

(2)

STA.	ELEVA.	GRADE	CUT OR FILL.			AREA'S		Cubic Yds.	Remarks
			LEFT	C.	RIGHT	EXCAVATION	Embankment		
						Excav.	Embank.		
								37	Curve N. at Dorseys
								38	X Sections 784-788
								39	Curve N at 725
								40-41	Curve N at 313 and X sec to Station 323
								42	X sec 323-327
								43	Spur to Motley Bridge
								44-45	Cross Sections 419-433
								46-48	" " 546-567
								48	Offtake Ditch 588 R.
								49	Cross Sections 581-590
								50-58	" " 351-419
								59-61	" " 433+ to 458
								80-78	Ditch Brittain's Swamp
								79	" Morgans "
								62-66	Cross Sections 459-490
								67	" " for Surfacing 381-388
								68-69	" " 422-425 for Burrow Pit
								69	Approach R 426
								70	" Lindberg (465)
								78	" 420 N

