



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 30 day of August, 2012.

Laura L. Hadrava
Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Corner to Sec. 28-29-32-33 T. 137 N. R. 29 W.

State of Minnesota, }
COUNTY OF CASS } ss.

I hereby certify that on the 16th day of May, 1922
I found the section corners of Sec. 28-29-32-33 T. 137 N. R. 29 W.
which was evidenced by Stump NW 32.1 feet. Telephone pole NE 30.0 feet.
and I further certify that to perpetuate the location of such corner I did at the exact location thereof place
a permanent marker consisting of 6 inch square concrete monument already placed.

I further certify that I established Four (4)
reference or witness monuments consisting of 2" hollow iron pipes 3 1/2 feet long
which reference or witness monuments are located in the manner following:

- 2" hollow iron pipe NE 34 feet
- 2" " " " NW 34 "
- 2" " " " SW 42 "
- 2" " " " SE 46.7 "

All pipes 6 inches above surface of natural ground. These pipes are all in swamp.

Pine River
Dated at ~~Water~~ this 17th day of May 1922

C. J. Bark
C. J. BARK
Ass't. ~~County Surveyor~~ Highway Engineer

OFFICE OF REGISTER OF DEEDS, }
COUNTY OF CASS }

I hereby certify that the within instrument was filed in this office for record on the 10th day of Nov. A. D. 1922 at 9 o'clock P. M., and was duly
Recorded in Book of on page

Owen Due to old
Register of Deeds.
By Deputy.