

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/12/2012 9:35:09 AM AS DOC #: A000584216

PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 6 day of 5, 20/2.

Notary Public

LINDA C. HUSBY
Notary Public
State of Minnesota
My Comm. Exp. 1-31 20

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

603

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner to Sec. 's 16-17-20-21 T. 141N R. 27W	No
State of Minnesota, County of Cass	
William H. Okerman , being first duly sworn, deposes That I reside at Bemidji , Minnesota , and am registered as a Landaws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807	and says: d Surveyor under the
I further depose and say that on the 5th day of June	
I found the Section corner of Sections 16-17-20-21 which was evidenced by remains of the G.L.O. resurvey of 1919 consisting of	
iron pipe 3 feet long with brass cap marked N.Pine 10 inch N71 46 E 119.5 feet - now a stump at record bearing and distance with scribe visible.	T141N R27W
N. Pine 10 inch S42 30'W 105.6 feet - now a 16 inch at record bearing an distance with scribe visible. N. Pine 16 inch N25 45'W 27.7 feet - not found. and that to perpetuate the location of such corner I did, at the exact location thereof, place consisting of no new monument set as G.L.O. monument is in good condition.	

from which reference or witness monuments are located in the manner following:

J. Pine 9 inch N48 E 86.46 feet scribed S16 BT

J. Pine 13 inch S64 E 62.79 feet scribed S16 BT

J. Pine 15 inch N44 W 49.59 feet scribed S16 BT

N. Pine 21 inch S41 W 106.02 feet old scribe visible

Cedar post 4 X 4 X 72 inches due west 25.08 feet with Forest Service signs 54-2 and 54-4 attached

All reference bearings are true bearings. (Surveyor's Signature)	OFFICE OF REGISTER OF DEEDS County of Cass
In the Presence of: Liff on B Senn Fulfille on B Senn Subscribed and sworn to before me at this 30 to day of April 10 21	I hereby certify that the within instrument was filed in this office for record on the 19th day of February A.D., 19 71 at 9 o'clock A.M.
Holis Solday of Boy 1971, 1971, 1971, Notary Rublic Cas County Miner	Register of Deeds By Deputy

Page 4 of 4 A000584216

