

A000584225

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/12/2012 10:14:33 AM

AS DOC #: A000584225 PAGES: 4

REC FEES: 0.00 KATHRYN M. NORBY

CASS COUNTY RECORDER

Y KF Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 6 day of Sept , 20/2.

Notary Public

UNDA C. HUSBY

Notary Public

State of Minnesota

My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

South West 1/16			
Corner to Sec. 20	T. 141N	R 27W	No. 709

State of Minnesota, County of Cass

William H. Okerman	being	first duly	, sworn,	deposes	and s	sa_{2}

That I reside at Bemidji......, Minnesota....., and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No.....6807......

I further depose and say that on the 17th day of June 1969 I found the South West 1/16 corner of Section 20 which was evidenced by remains of the G.L.O. resurvey of 1919 consisting of 1 inch diameter iron post 3 feet long with brass cap marked SW 1/16 S20

R. Oak 10 inch \$38045'E 30.36 feet - now 16 inch with scrib overgrown at record bearing and distance

1919

R. Oak 10 inch S62015 W 37.62 feet - now a rotted stump at record bearing and distance

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of no new monument set as G.L.O. monument is in good condition

from which reference or witness monuments are located in the manner following:

- W. Oak 10 inch $S11^{\circ}E$ 30.15 feet scribed SW 1/16 S20 BT W. Pine 23 inch N62 W 41.33 feet scribed SW 1/16 S20 BT N. Pine 16 inch N4 W 59.36 feet scribed SW 1/16 S20 BT

Steel sign post 5 feet long due west 4.2 feet with Forest Service signs 54-2 and 54-4 attached.

All reference bearings are true bearings.

(Surveyor's Signature) In the Presence of Subscribed and sworn to before me at

County of		• • • • • • • • • • • • • • • • • • • •	
I hereby certifiled in this office	• 0		
day of Octob	•		

OFFICE OF REGISTER OF DEEDS

Register of Deeds



Page 4 of 4 A000584225

