

A000584240

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/12/2012 11:10:00 AM AS DOC #: A000584240 PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY\_KF\_\_\_Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 6 day of Syst, 20/2

Notary Public


LINDA C. HUSBY Notary Public State of Minnesota My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Quarter Corner to	Sec!s 28-2	9	T. 1)11N		No. 6	33
	Minnesotz	_				
Willi	am H. Okerm	an	h	ving first duly sworn, de	enoses and saus	
That I re	eside at Be	midji	Minnesota	., and am registered as a	ı Land Surveyo	r under th
			•	on Certificate No. 680		
				day of October		, 1968
				28-29		
diameter ir Not Found W. Pine 18	on pipe 3 f	eet long with E 23330 fe	th brass cap mar	y of 1919 consisting ked at record bearing	T141N R27W S29  S28	
and distanc	e with scri	be visible.				
Maple 6 inc	h N55°45 W	19.1 feet -	not found.			
•	. 6 inch dia	meter concre		e exact location thereof, poot long 10 inches v	nder road T141N R27W \frac{1}{4} S29 S28	
					1968 R.L.S. No.	6807
W. Pine 8 in W. Oak 9 in W. Oak 9 in	nch S88 <sup>0</sup> E 2 inch S79 <sup>0</sup> E 3 ch S55 <sup>0</sup> W 73 ch N89 <sup>0</sup> W 43	31.2 feet so 247.87 feet .26 feet scr .30 feet scr	ats are located in the cribed $\frac{1}{4}$ S28 BT scribed $\frac{1}{4}$ S28 BT ribed $\frac{1}{4}$ S29 BT ribed $\frac{1}{4}$ S29 BT scribed $\frac{1}{4}$ S28 BT scribed $\frac{1}{4}$ S28 BT		NO DE LOS	<b>3</b>
All referen	ce bearings	Kerman	_	office of register	OF DEEDS	



County of  I here!  filed in t	Cass by certify that the wi his office for record on	thin instrument was
	February	
at	o'clock A.M.	
120	Cal and	الماري
	Register of 1	Deeds

y......Deputy



Page 4 of 4 A000584240

