

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR **RECORDED ON**

9/12/2012 1:13:53 PM AS DOC #: A000584264 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY

CASS COUNTY RECORDER

Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }ss COUNTY OF CASS

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this b day of Sept, 20/2.

Linda C. Husly

LINDA C. HUSBY My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

Miller-Davis Company, Minneapolis CERTIFICATE OF LOCATION OF GOVERNMENT CORNER Witness Corner to Special Meander Corner to Sec. 9 T. 142N. R. 304. State of Minnesota, County of Cass I hereby certify that on the 29th day of September Witness Corner for I found the Special Meander corner of Section 9 which was evidenced by remains of the General Land Office survey of 1918 and documented in Forest Service Record and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place a permanent marker consisting of no new monument set as G.L.O. monument is in good condition I further certify that I established.... reference or witness monuments consisting of which reference or witness monuments are located in the manner following: Elm 5 inch N580E 30.40 feet scribed WC SMC S9 BT Hlm 13 inch 316°E 40.10 feet scribed WC SMC S9 BT Steel sign post 72 inches long due East 1.60 feet with Forest Service signs 54-2 and 54-4 attached

		ited at															Λ	• ¬		77.
	······································	••••••			•••••		•••••••	•••••		*********	 ••••••	·····	······			•••••	••••••	······		
•••	•••••••••••••••••••••••••••••••••••••••	••••		•••••••		· · · · · · · · · · · · · · · · · · ·	••••••	••••••			 	······································		• • • • • • • • • • • • • • • • • • • •		······		••••••••		·····
••••						·····	••••••	•••••			 •••••		· • · · · • • • • • • • • • • • • • • •			· · · · · · · · · · · · · · · · · · ·			·····	
••••	• · · · · · · · · · · · · · · · · · · ·	**************				••••••	·······	•••••	······································	•••••	 		• · · · · • • • • • • • • • • • • • • •				•••••	······································		·····
	· · · · · · · · · · · · · · · · · · ·	**************	•••••••	• • • • • • • • • • • • • • • • • • • •		•••••••	•••••••	······		• • • • • • • • • • • • • • • • • • • •	 •••••	•••••			•••••		•••••••	••••••	•••••	·····

OFFICE OF REGISTER OF DEEDS

County of Cass

WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor No. 6807

I hereby certify that the within instrument was filed in this office for record on the day of Novembere A. D. 19 72 at 9 o'clock



Page 4 of 4 A000584264

SECTION TOWNSHIP RANGE P.M.

rods 20

" 40 "

" 80 NW.

" 80 NW.

