



A000584276

OFFICE OF THE COUNTY RECORDER  
CASS COUNTY, MINNESOTA  
CERTIFIED, FILED, AND/OR  
RECORDED ON

9/12/2012 1:56:14 PM

AS DOC #: A000584276

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY  
CASS COUNTY RECORDER

BY KF \_\_\_\_\_ Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA     }  
  }ss  
COUNTY OF CASS         }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



Page 1 of 4

A000584276



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 6 day of Sept, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

## CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Meander

Corner to Sec.'s 7-18

T. 142N.

R. 30W.

No. 769

State of Minnesota,

} ss.

County of Cass

I hereby certify that on the 13th day of October 1970

I found the Meander corner of Sections 7-18

which was evidenced by remains of the General Land Office Survey of 1918

and documented in Forest Service Record

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place

a permanent marker consisting of 5½ inch x 5½ inch x 60 inch long concrete monument with  
brass cap

I further certify that I established

reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Birch 8 inch N44°E 29.80 feet scribed MC S7 BT


Oak 12 inch S89°E 29.70 feet scribed MC S18 BT

Willow 6 inch S83°E 117.00 feet scribed MC S18 BT

Cedar post 4 inches x 4 inches x 72 inches due West 1.20 feet with

Forest Service sign 54-4 attached

Dated at Cass Lake, Minn., this 6th day of April 1971

  
 COUNTY SURVEYOR OF HIGHWAY ENGINEER

WILLIAM H. OKERMAN


Minnesota Registered Land Surveyor No. 6807

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the

day of November 9 A. D. 1972 at 9 o'clock A. M.



Register of Deeds.

By Deputy.



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

