



A000587687

**OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON**

12/26/2012 2:01:42 PM

AS DOC #: A000587687

PAGES: 4

REC FEES: 0.00

**KATHRYN M. NORBY
CASS COUNTY RECORDER**

BY MW _____ Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }

}ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;





-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of AEC, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner to Sec's 25-26-35-36 T. 141N R. 29W No. 485

State of Minnesota, }
 County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 21st day of October, 1964, I found the Section corner of sections 25-26-35 and 36 which was evidenced by remains of the original Government survey of 1873.

N Pine 20 inch N50°E 5.28 feet (found a rotted pine stump at record bearing and distance.)

N Pine 18 inch S10°E 6.60 feet (found a rotted pine stump at record bearing and distance.)

and remains of a survey of County Surveyor, John Curo, in 1912.

Pine stake (found remains of an old post)

Oak 3 inch N1°E 38.2 feet (now 10 inch oak N2°W 38.5 feet)

J. Pine 3 inch N2°E 114.8 feet (now a J. pine snag at record bearing and distance)
 (over)

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 2 inch inside diameter 5 foot long galvanized steel pipe filled with concrete and capped with a 3 inch diameter bronze tablet stamped

T141N	R29W
S26	S25
S35	S36
1965	

from which reference or witness monuments are located in the manner following:

R.L.S.No.6807

Oak 10 inch N2°W 38.5 feet scribed S26 BT

J. Pine 13 inch N79°E 92.5 feet scribed S25 BT

J. Pine 13 inch S30°E 48.6 feet scribed S36 BT

R. Pine 7 inch S8°W 85.8 feet scribed S35 BT

steel sign post 72 inches long set 24 inches in ground with signs
 54-2 and 54-4 attached. due East 5.2 feet

All reference bearings are true bearings.

William H. Okerman
 (Surveyor's Signature)

In the Presence of:

E. Farrell Preece
Norden E. Blase

Subscribed and sworn to before me at CASS LAKE,

MINNESOTA,

this 11th day of December, 1964.

Norden E. Blase
 Notary Public

GORDON E. COOPER
 Notary Public, Cass County, Minn.
 My commission expires July 25, 1967

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 28

day of June A.D., 1968

at 9 o'clock A.M.

Beulah Hendrick
 Register of Deeds

By.....Deputy



W. Pine stump 30 inch N48°E 32.9 feet (now stump hole at record bearing and distance)
Pine stump 24 inch N84°W 65.66 feet (Now pine stump at record bearing and distance)

SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

