



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 20 12.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Center Quarter

Corner to Sec. 16 T. 141N R. 28W No. 805

State of Minnesota, }
County of Cass } ss.

I hereby certify that on the 30th day of June 1972

I found the Center Quarter corner of Section 16
which was evidenced by remains of the General Land Office survey of 1918 and documented in
Forest Service Recordand I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of 2 inch x 5 inch galvanized steel pipe with brass capI further certify that I established
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Birch 1 1/4 inch S70°W 51.10 feet scribed C 1/4 S16 BT

Birch 6 inch S7°W 32.60 feet scribed C 1/4 S16 BT

Elm 9 inch S60°E 53.70 feet scribed C 1/4 S16 BT

Steel sign post 72 inches long due West 5.20 feet with Forest Service signs

54-2 and 54-4 attached

Dated at Cass Lake, Minn., this 15th day of November 1972

William H. Okerman

County Surveyor or Highway Engineer.
WILLIAM H. OKERMAN
Minnesota Registered Land Surveyor
No. 6807

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 10th
day of January A. D. 1973 at 9 o'clock A. M.Beulah Hendrick
Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

