



A000587786

**OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON**

12/27/2012 10:33:39 AM

AS DOC #: A000587786

PAGES: 4

REC FEES: 0.00

**KATHRYN M. NORBY
CASS COUNTY RECORDER**

BY MW Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;





-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Center West 1/16
Corner to Sec. 13 T. 141N R. 28W No. 839State of Minnesota, }
County of Cass } ss.I hereby certify that on the 26th day of March 1973
I found the Center West 1/16 corner of Section 13
which was evidenced by remains of the General Land Office survey of 1918 and documented
in Forest Service record.and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of 6 inch X 2 1/4 inch concrete monument with brass capI further certify that I established
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

W. Oak 23 inch N32°E 75.90 feet rescribed CW 1/16 S13 BT

W. Oak 9 inch S20°E 14.00 feet scribed CW 1/16 S13 BT

Elm 7 inch S75°W 12.50 feet scribed CW 1/16 S13 BT

Steel sign post 72 inches long due North 33.80 feet with Forest Service signs 54-2
54-1 attached

Dated at Cass Lake, Minn., this 30th day of March 1973

William H. Okerman
County Surveyor or Highway Engineer
WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor No. 6807

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 12th
day of September A. D. 1973 at 9 o'clock A. M.Denzel Hendricks
Register of Deeds.

By BJK Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

