



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Center South 1/16
Corner to Sec. 20 T 141 N R. 28 W No. 872State of Minnesota, }
County of Cass } ss.

I hereby certify that on the 21st day of March 19
I found the Center South 1/16 corner of Section 20
which was evidenced by remains of the General Land Office survey of 1918 and documented in
Forest Service record
and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of no new monument set as G.L.O. monument is in good condition

I further certify that I established
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

J. Pine 10 inch S72°W 21.40 feet scribed CS 1/16 S 20 BT
J. Pine 8 inch S47°W 27.10 feet scribed CS 1/16 S 20 BT
J. Pine 7 inch S19°W 40.20 feet scribed CS 1/16 S 20 BT
Steel sign post 72 inches long due South 6.00 feet with Forest Service signs 54-2 and
54-4 attached

Dated at Cass Lake, Minn., this 20th day of September 1973

William H. Okerman
County Surveyor or Highway Engineer.

WILLIAM H. OKERMAN
Minnesota Registered Land Surveyor No. 6807

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 5th
day of February A. D. 1974 at 9 o'clock A. M.

Bulah Hendricks

Register of Deeds.

By BJK

Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

