



**A000587831**

**OFFICE OF THE COUNTY RECORDER  
CASS COUNTY, MINNESOTA  
CERTIFIED, FILED, AND/OR  
RECORDED ON**

**12/27/2012 11:50:39 AM**

**AS DOC #: A000587831**

**PAGES: 4**

**REC FEES: 0.00**

**KATHRYN M. NORBY  
CASS COUNTY RECORDER**

**BY KF Dep**



A000587831

Page 1 of 4

## **AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER**

STATE OF MINNESOTA     }  
  }ss  
COUNTY OF CASS         }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 26<sup>th</sup> day of December, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

## CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Quarter

Corner to Sec.'s 20-29

T. 111N

R. 28W

No. 882

State of Minnesota, } ss.

County of Cass

I hereby certify that on the 20th day of March 1973

I found the Quarter corner of Sections 20-29

which was evidenced by remains of the General Land Office survey of 1918 and documented in Forest Service record

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place no new monument set as G.L.O. monument is in good condition a permanent marker consisting of

I further certify that I established


reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

N. Pine 19 inch N63°W 79.00 feet scribed  $\frac{1}{4}$  S20 BTN. Pine 17 inch N16°W 98.80 feet scribed  $\frac{1}{4}$  S20 BTBirch 10 inch S34°W 19.30 feet scribed  $\frac{1}{4}$  S20 BT

Steel sign post 72 inches long due East 5.00 feet with Forest Service signs 54-2 and 54-4 attached

Dated at Cass Lake, Minn., this 17th day of August 1973

  
 County Surveyor or Highway Engineer.


WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor No. 6807

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 5th day of February A. D. 1974 at 9 o'clock A.M.



Register of Deeds.

By BOK

Deputy.



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

