



A000587836

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

12/27/2012 11:50:44 AM

AS DOC #: A000587836

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep



A000587836

Page 1 of 4

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Angle Point 2 of Allotment 1701

Corner to Sec. 22-27 T. 141 N. R. 28 W. No. 917

State of Minnesota, }
County of Cass } ss.

I hereby certify that on the 13th day of February 1973
 I found the Angle Point 2 of Allotment 1701 corner of Sections 22-27
 which was evidenced by remains of the General Land Office survey of 1918 and documented in
 Forest Service record
 and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
 a permanent marker consisting of no new monument set as G.L.O. monument is in good condition
 I further certify that I established
 reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Elm 7 inch N12°W 33.90 feet scribed AP BT
 W. Oak 5 inch S48°W 4.70 feet scribed AP BT
 N. Pine 15 inch S31°W 114.00 feet scribed AP S 27 BT
 Steel sign post 72 inches long due West 5.80 feet with Forest Service signs 54-2 and
 54-4 attached

Dated at Cass Lake, Minn., this 10th day of September 1973

William H. Okerman
 County Surveyor or Highway Engineer

OFFICE OF REGISTER OF DEEDS

County of Cass }

WILLIAM H. OKERMAN
 Minnesota Registered Land Surveyor No. 6807

I hereby certify that the within instrument was filed in this office for record on the 5th
 day of February A. D. 1974 at 9 o'clock A. M.

Beulah Hendricks
 Register of Deeds.

By BJK Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

