

Page 1 of 4 A000587861



A000587861
OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON
12/27/2012 1:06:16 PM
AS DOC #: A000587861
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;




-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 2012.



Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER 743

 $\frac{1}{4}$ Corner to Sec. 25 and 26 T. 111N R. 28W No. 5th PMState of Minnesota, }
County of Cass } ss.I hereby certify that on the 9th day of September 1971
I found the $\frac{1}{4}$ corner of Sections 25 and 26
which was evidenced by remains of the General Land Office resurvey of 1918and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of existing G.L.O. monumentI further certify that I established
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

N. pine 2 1/2 inch N17 3/4°E 137.3 feet (G.L.O.)
Balsam 5 inch S63°W 14.0 feet scribed 1/4 S26 BT
Elm 7 inch S49°E 28.6 feet scribed 1/4 S25 BT
Steel sign post 72 inches long set due north 3.6 feet with Forest Service signs
54-2 and 54-4 attached

Dated at Bemidji, Minn., this 10th day of September 1971

William D. Korman
Beltrami County Surveyor

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 8th
day of October A. D. 19 71 at 9 o'clock A. M.Beverly Hendricks
Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

