

A000587941

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/28/2012 8:07:41 AM AS DOC #: A000587941 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY KF Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this day of \_\_\_\_\_\_\_, 20/2.

ROBERT H. YOCHUM

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Indian Reservation Boundary				
Corner to Sec. 's 13 - 14	<i>T</i>	א בוגב	 31 W	No. 217

## State of Minnesota, County of Cass

Peter J. Meyer	, be	eing first duly s	worn, deposes a	and says:
That I reside atCass Lake				
laws of the State of Minnesota, having Su	2	•		
I further depose and say that on the	211th	day of	April	, 1962 ,
I further depose and say that on the Bound I found the Indian Reservation/corner	of Sections 13	- 14		
which was evidenced by an iron post	3 feet long, 1 i	nch diameter	with brass o	ap marked:
Set by G.L.O. survey of 1917.				AP 3
Cedar 8" N51°E 85 links (56.10')(1				TR 1314
Pine 14. S87 $\frac{1}{2}$ W 186 links (122.76	')(Now a pine wi scribe marks		a few	1R B

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of .....No new monument set as G.L.O. brass cap is in place.

from which reference or witness monuments are located in the manner following: Cedar 9" N72 $\frac{1}{2}$ °E 97.2 feet marked X BT Tamarack 11" S41°W 73.5 feet marked X BT Cedar post 4" x 4" x 72" penta-treated with red top N 5°E 2.0 feet

All reference bearings are true bearings.

(Surveyor's Signature)

In the Presence of:

Subscribed and sworn to before me at

Walker, Minnesota

this 16 day of A September 19 63

September 19 63

Deputy Register of Deeds, Cass County, Minn.

## OFFICE OF REGISTER OF DEEDS

County	ofCass	
I her filed in	reby certify that the within is this office for record on the	instrument was
day of	September	A.D., 19 63
	Cernara P. Petersa	n
<b>,</b> ,	Register of Deeds	
By	Beulah Hendrie	Lo Deputy



Page 4 of 4 A000587941

