

A000587972

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/28/2012 9:30:58 AM

AS DOC #: A000587972

PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 2 day of LC , 20/Z

Notary Public

ROBERT H. YOCHUM
Notary Public
State of Minnesola
My Conun. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

5 17

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

North 1/16 Corner to Sec. 26-27 T. 211 N. R. 31 W.

State of Minnesota,

County of

Peter J. Meyer , being first duly sworn, deposes and says: Minnesota , and am registered as a Land Surveyor under the That I reside at Cass Lake laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628 I further depose and say that on the 25th day of June 1962... I found the North 1/16 corner of Sections 26 - 27 which was evidenced by Notes of Cass County Surveyor E. B. Horst in 1920 - taken from Cass County Record Book "C" Page 462.

Iron monument (found a 2" inside diameter iron pipe marking corner under a downed fence line estimated to be 30 years old).

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 2" inside diameter, 5 foot long galvanized wrought iron pipe filled with concrete and capped with a 3" diameter bronze tablet stamped:-TILIN R31W N 1/16 | S 26 1962

from which reference or witness monuments are located in the manner following: Oak 4" N59¹°E 10.0' MKD X BT Jack pine 15" N87°W 69.0' MKD N 1/16 S27 BT Steel sign post 72" long set 24" in ground North 2.01

All reference bearings are true bearings.

(Surveyor's Signature) In the Presence of:

Subscribed and sworn to before me at..... -Walker, Minnesota

16 day of September

Deputy Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS

Country of	•••••••	
I hereby certify that the	within	instrument
filed in this office for record	$on\ the$	16

RLS NO 3628

Register of Deeds

was

