

A000588022

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/28/2012 11:31:05 AM AS DOC #: A000588022 PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

Y KF Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

SSS

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 26 day of 20, 20/2

Notary Public

ROBERT H. YOCHUM
Notary Public
State of Minnesolds
My Comm. Exp. 1 31 2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Center East 1/16
Corner to Sec. 31
T. 141N
R. 31W
No. 8/

State of Minnesota,

County of Cass

Peter J. Meyer , being first duly sworn, deposes and says:

That I reside at Cass Lake, Minnesota , and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628

I further depose and say that on the 25th day of May , 19 62, I found the Center East 1/16 rner of Section 31

which was evidenced by a 1 3/4" diameter iron pipe set by Cass County Surveyor E. B. Horst in 1921. Notes of his survey found in County Record Book "C" page 446.

The iron pipe was found alongside a fence corner estimated to be 30 years old.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 2" inside diameter 5' Long galvanized wrought iron pipe filled with concrete and capped with a 3" diameter bronze tablet stamped: -

from which reference or witness monuments are located in the manner following:

Jack pine 12ⁿ N 16½0 E 19.3! MKD CE 1/16 S 31 BT

Steel Sign Post 72ⁿ Long North 2.15 feet

All reference bearings are true bearings.

Steel sign post 72^m long S 79^oW 2.85 feet

(Surveyor's Signature)

In the Presence of:

Subscribed and sworn to before me at

Walker, Minnesota

this 10 day of December , 1962

Deputy Register of December Cass Co., Minn.

OFFICE OF REGISTER OF DEEDS

County of _______Cass_______

I hereby certify that the within instrument was

filed in this office for record on the 10 day of December A.D., 19 62

T 141N

S

R.L.S.

R 31W

31

No. 3628

1962

at o'clock M.

Register of Deeds

y / 2 /7 Deput

Page 4 of 4 A000588022

