



A000588257

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

1/2/2013 1:07:55 PM

AS DOC #: A000588257

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep

Page 1 of 4
A000588257

**AFFIDAVIT BY THE CASS COUNTY SURVEYOR
IN REGARD TO A CERTIFICATE OF LOCATION
OF GOVERNMENT CORNER**

STATE OF MINNESOTA }

}ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;




That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.




Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 31st day of Dec., 2012.



Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Center East 1/16
Corner to Sec. 1 T. 141N R. 28W No. 846State of Minnesota, }
County of Cass } ss.

I hereby certify that on the 6th day of February 1973
I found the Center East 1/16 corner of Section 1
which was evidenced by remains of the General Land Office survey of 1919 and documented in Forest
Service record
and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of no new monument set as G.L.O. monument is in good condition

I further certify that I established
reference or witness monuments consisting of
which reference or witness monuments are located in the manner following:

N. Pine 1 1/4 inch N25°E 72.00 feet scribed CE 1/16 S1 BT
N. Pine 7 inch S53°E 98.40 feet scribed CE 1/16 S1 BT
N. Pine 1 3/8 inch S18°W 111.50 feet scribed CE 1/16 S1 BT
Steel sign post 72 inches long set on North side of corner with Forest Service
signs 54-2 and 54-4 attached

Dated at Cass Lake, Minn., this 29th day of March 1973

William D. Okerman
County Surveyor or Highway Engineer.

WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor No. 6807

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 12th
day of September A. D. 1973 at 9 o'clock A. M.

Beulah Hendrick

Register of Deeds.

By BJK

Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

