



A000590013

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

2/26/2013 11:54:14 AM

AS DOC #: A000590013

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY SR _____ Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;





That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of Feb., 20 13.

Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Center North 1/16 31 T. 14 N R. 29 W No. 90
 Corner to Sec. T. R. No.

State of Minnesota, }
 County of Cass } ss.

Peter J. Meyer

....., being first duly sworn, deposes and says:
 That I reside at Cass Lake, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628

I further depose and say that on the 20th day of September, 1962,
 I found the Center North 1/16 corner of Section 31
 which was evidenced by two bearing trees from the G.L.O. survey of 1926

Maple 12" N 13 1/2° E 19 Lks or 12.54 feet (Now a 14" Maple N 9° E 12.54 feet scribe overgrown).

Maple 9" S 16 1/2° W 33 Lks or 21.78 feet (Now a 10" Maple S 13° W 21.78 feet scribe overgrown).

Corner was found to be marked by a G.L.O. iron post with N 1/16 S 31
 brass cap stamped: - C
 1926

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as G.L.O. brass cap is in good condition.

from which reference or witness monuments are located in the manner following:

Maple 10" S 35° E 18.75 feet MKD C N 1/16 S 31 BT

Maple 11" S 47° W 31.75 feet MKD C N 1/16 BT

Steel sign post 72 inches long with signs 54-2 and 54-4 attached
 N 82 1/2° E 3.55 feet

All reference bearings are true bearings.

Peter J. Meyer
 (Surveyor's Signature)

In the Presence of:

Paula Dewar
Jane Ann Nelson

Subscribed and sworn to before me at

.....
 this 10 day of September, 1962

Deputy Register of Deeds, Cass Co., Minn.

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 10

day of December A.D., 1962

at 9 o'clock A.M.

L. A. Peterson
 Register of Deeds

By *B. R.* Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M.

