

A000590030

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/26/2013 1:04:23 PM AS DOC #: A000590030

PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY MW Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

}

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



A000590030

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 26 th day of Jeb. , 2013.

SUSANNE GRAY

Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)
My term is indeterminate

Notary Public

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER		
Section Corner to Sec. s 4-3-9-10 T. 114N R. 27W No.		
State of Minnesota,).		
County of Cass $\int_{-\infty}^{88}$		
William H. Okerman , being first duly sworn, deposes and say	<i>18:</i>	
That I reside at Bemidji Minnesota , and am registered as a Land Survey	or under the	
laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807		
I further depose and say that on the lith day of June	, <i>19</i> .66,	
I found the Section corner of Sections 4-3-9-10		
which was evidenced by G.L.O. resurvey of 1937 a set concrete monument 2 feet long 6 inches in diameter with brass cap marked Poplar 6 inch N48-3/4°E 23 links or 15.18 feet - Now a decayed log at correct bearing and distance - scribe visible. Poplar 6 inch S64½°E 53 links or 34.98 feet - Now a 13 inch Poplar at correct bearing and distance - blaze visible. Tamarack 5 inch S54½°W 129 links or 85.14 feet - Now a dead Tamarack at correct bearing and distance - scribe visible. Cedar 6 inch N21½°W 170 links or 112.20 feet - Now a 11 inch cedar at correct bearing and distance - scribe visible. and that to perpetuate the location of such corner I did, at the exact location thereof, place a perma consisting of no new marker set, used G.L.O. brass cap.	S4 S3 S10 1937	
from which reference or witness monuments are located in the manner following: Birch 6 inch N48°W 10.6 feet - scribed S4 BT.		
Birch 6 inch N23°E 19.9 feet - scribed S3 BT.		
Birch 6 inch S77°E 18.5 feet - scribed S10 BT.		

Birch 5 inch Sluk W 54.2 feet - scribed S9 BT.

Set a steel sing post 72 inches long with signs 54-2 and 54-4 attached due West 5.5 feet.

All reference bearings are true bearings.

(Surveyor's Signature) In the Presence of. Subscribed and sworn to before me at... Walker, Minnesota this 17th day of November ----Notary-Public---

Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS

County of Cass	
I hereby certify that the u filed in this office for record or	
day of November	A.D., 19.66
at o'clock A.M.	
Beulsh Hen	drick
Register of	Deeds

Page 4 of 4 A000590030

