



A000590254

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

2/28/2013 8:52:21 AM

AS DOC #: A000590254

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY SR _____ Dep

**AFFIDAVIT BY THE CASS COUNTY SURVEYOR
IN REGARD TO AN AFFIDAVIT AS TO
LOCATION OF A GOVERNMENT CORNER**

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;




Page 1 of 4 A000590254




That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.



Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 27 day of February, 20 13.



Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

South 1/16

Corner to Sec. 32 T. 116 N. R. 29 W. No. 175

State of Minnesota, }
 County of Cass } ss.

Peter J. Meyer, being first duly sworn, deposes and says:

That I reside at Cass Lake, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628.

I further depose and say that on the 6th day of May, 1963, I found the South 1/16 corner of section 32 which was evidenced by a 1 inch diameter iron post with brass cap stamped: C S 1/16 | S 32 C 1934 set by the General Land Office survey of 1934.

Jack pine 6 inch S28 $\frac{1}{2}$ °E 76 links or 50.16 feet (Now a 13 inch jack pine with scribe overgrown at record bearing and distance.)
 Norway pine 20 inch N21°W 166 links or 109.56 feet (Now a stump with scribe "CS1/16 S32 BT" at record bearing and distance.)

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of no new monument set as the G.L.O. brass cap is in good condition.

from which reference or witness monuments are located in the manner following:

Jack pine 10 inch S39°E 7.25 feet marked CS 1/16 BT

Jack pine 7 inch N60°E 23.25 feet marked CS 1/16 BT

Steel sign post 72 inches long, set 24 inches in the ground with signs 54-2 and 54-4 attached due North 3.0 feet.

All reference bearings are true bearings.

Peter J. Meyer
 (Surveyor's Signature)

In the Presence of:

Beulah Hendricks

June Ann Nelson

Subscribed and sworn to before me at

Walker, Minnesota

this 16 day of September, 1963.

Beulah Hendricks

Notary Public

Deputy Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 16

day of September, A.D., 1963.

at 9 o'clock AM.

Leonard P. Peterson
 Register of Deeds

By *Beulah Hendricks* Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

