



A000590290
OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON
2/28/2013 10:25:56 AM
AS DOC #: A000590290
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF Dep

**AFFIDAVIT BY THE CASS COUNTY SURVEYOR
IN REGARD TO AN AFFIDAVIT AS TO
LOCATION OF A GOVERNMENT CORNER**

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;




That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 27 day of February, 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Quarter

Corner to Sec. 13 - 14 T. 145N R. 30W No.

State of Minnesota, }
County of Cass } ss.

Peter J. Meyer, being first duly sworn, deposes and says:

That I reside at Cass Lake, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3629.

I further depose and say that on the 27th day of March, 1962, I found the quarter corner of sections 13 - 14

which was evidenced by remains of the G.L.O. resurvey of 1933:-

1. Iron post 3 feet long, 1 inch dia. with a brass cap marked S14 | S13
1933
2. Jack pine 10" S28 3/4°E 36 lks or 23.76' (now a Jack pine st. with scribe B visible S28 3/4°E 23.76')
3. Jack pine 12" N74 1/2°W 48 lks or 31.68' (now a Jack pine stp. with scar facing corner N74 1/2°W 31.68'.)

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of no new monument set as the G.L.O. brass cap is in place.

from which reference or witness monuments are located in the manner following:

Jack pine 8" N27°E 9.7' marked 1/4 S 13 BT

Jack pine 7" S10°W 24.1' marked 1/4 S 14 BT

All reference bearings are true bearings.

Peter J. Meyer
(Surveyor's Signature)

In the Presence of:
Beulah Sevicer
Jane Ann Nelson

Subscribed and sworn to before me at
Walker, Minnesota

this 14th day of April, 1962

Beulah Sevicer
Notary Public
Deputy Register of Deeds
Cass County, Minnesota

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 14th day of April, A.D., 1962 at 9 o'clock A.M.

Leonard P. Peterson

Register of Deeds

By *Beulah Sevicer* Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

