





That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 27 day of February, 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Section  
Corner to Sec.'s 15-16-21-22 T. 145N R. 30W No.State of Minnesota, }  
County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 8th day of June, 1966,

I found the Section corner of Sections 15-16-21-22 which was evidenced by remains of the G.L.O. resurvey of 1933

a set 6 inch diameter 2 foot long cylindrical concrete monument with brass cap stamped Burr Oak 8 inch N51 1/4° E 99 links or 65.34 feet - not found.

Red Oak 14 inch S71 1/4° E 76 links or 50.16 feet - now a 21 inch Oak at correct bearing and distance - blaze visible.

Burr Oak 6 inch S14-3/4° W 113 links or 74.58 feet - now a stump with blaze visible on top of stump.

Burr Oak 6 inch N32° W 102 links or 67.32 feet - now a 16 inch Oak at correct bearing and distance - blaze visible.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as G.L.O. monument is in good condition

T145N	R30W
S16	S15
S21	S22
1933	

from which reference or witness monuments are located in the manner following:

G.L.O. Red Oak S71° E 50.2 feet - rescribed S22 BT.

G.L.O. Oak 6 inch N32° W 67.3 feet - rescribed S16 BT.

Burr Oak 9 inch S11° W 54.0 feet - scribed S21 BT.

Burr Oak 9 inch N81° E 27.85 feet - scribed S15 BT.

All reference bearings are true bearings.

William H. Okerman  
(Surveyor's Signature)In the Presence of:  
E. Farrell Creech  
Gordon E. CloseSubscribed and sworn to before me at CASS LAKE,  
MINNESOTA  
this 11th day of December, 1966.Gordon E. Close  
Notary PublicGORDON E. CLOSE  
Notary Public, Cass County, Minn.  
My commission expires July 28, 1971

## OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 21

day of June A.D., 1966

at 9 o'clock A.M.

Benedict Hendricks  
Register of Deeds

By Deputy



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

